

# Knowledge Representation and Processing

Florian Rabe (for a course given with Michael Kohlhase)

Computer Science, University Erlangen-Nürnberg, Germany

Summer 2020

# Administrative Information

## Format

### Zoom

- ▶ lectures and exercises via zoom
- ▶ participants muted by default for simplicity
- ▶ interaction strongly encouraged      We don't want to lecture —  
we want to have a conversation during which you learn
- ▶ let's try out zoom
  - ▶ use reactions to say yes no, ask for break etc.
  - ▶ feel free to annotate my slides
  - ▶ talk in the chat

### Recordings

- ▶ maybe prerecorded video lectures or recorded zoom meeting
- ▶ to be decided along the way

# Background

## Instructors

- ▶ Prof. Dr. Michael Kohlhase  
Professor of Knowledge Representation and Processing
- ▶ PD Dr. Florian Rabe  
same research group

## Course

- ▶ This course is given for the first time
- ▶ Always a little bit of an experiment      cutting edge vs. unpolished
- ▶ Could become signature course of our research group      same name!

# Prerequisites

## Required

- ▶ basic knowledge about formal languages, context-free grammars  
but we'll do a quick revision here

## Helpful

- ▶ Algorithms and Data Structures mostly as a contrast to this lecture
- ▶ Basic logic we'll revise it slightly differently here
- ▶ all other courses as examples of how knowledge pervades all of CS

## General

- ▶ Curiosity this course is a bit unusual
- ▶ Interest in big picture  
this course touches on lots of things from all over CS

## Examination and Grading

### Suggestion

- ▶ grade determined by single exam
- ▶ written or oral depends on number of students
- ▶ some acknowledgment for practical exercises

to be finalized next week

### Exam-relevant

- ▶ anything mentioned in notes
- ▶ anything discussed in lectures

neither is a superset of the other!

## Materials and Exam-Relevance

### Textbook

- ▶ does not exist
- ▶ normal for research-near specialization courses

### Notes

- ▶ textbook-style but not as comprehensive
- ▶ developed along the way

### Slides

- ▶ not comprehensive
- ▶ used as visual aid, conversation starters

# Communication

## Open for questions

- ▶ open door policy in our offices if the lockdown ever ends
- ▶ always room for questions during lectures
- ▶ for personal questions, contact me during/after lecture or by email
- ▶ forum at <https://fsi.cs.fau.de/forum/154-Wissensrepraesentation-und-Verarbeitung>

## Materials

- ▶ official notes and slides as pdf:  
<https://kwarc.info/teaching/WuV/>  
will be updated from time to time
- ▶ watch me prepare the materials: <https://github.com/florian-rabe/Teaching/tree/master/WuV>  
pull requests and issues welcome



## Exercises

### Learning Goals

- ▶ Get acquainted with state of the art of practice
- ▶ Try out real tools

### Homeworks

- ▶ one major project as running example
- ▶ homeworks building on each other

build one large knowledge-based system  
details on later slides

# Overview and Essential Concepts

## Representation and Processing

Common pairs of concepts:

Representation	Processing
Static	Dynamic
Situation	Change
Be	Become
Data Structures	Algorithms
Set	Function
State	Transition
Space	Time

## Data and Knowledge

$2 \times 2$  key concepts

Syntax	Data
Semantics	Knowledge

- ▶ Data: any object that can be stored in a computer  
Example:  $((49.5739143, 11.0264941), "2020 - 04 - 21 T16 : 15 : 00 CEST")$
- ▶ Syntax: a system of rules that describes which data is **well-formed**  
Example: "a pair of (a pair of two IEEE double precision floating point numbers) and a string encoding of a time stamp"
- ▶ Semantics: system of rules that determines the meaning of well-formed data
- ▶ Knowledge: combination of some data with its syntax and semantics

# Knowledge is Elusive

## Representation of key concepts

- ▶ Data: using primitive objects  
implemented as bits, bytes, strings, records, arrays, ...
- ▶ Syntax: (context-free) grammars, (context-sensitive) type systems  
implemeted as inductive data structures
- ▶ Semantics: functions for evaluation, interpretation, of well-formed data  
implemented as recursive algorithms on the syntax
- ▶ Knowledge: elusive  
emerges from applying and interacting with the semantics

## Semantics as Translation

- ▶ Knowledge can be captured by a higher layer of syntax
- ▶ Then semantics is translation into syntax

Data syntax	Semantics function	Knowledge syntax
SPARQL query	evaluation	result set
SQL query	evaluation	result table
program	compiler	binary code
program expression	interpreter	result value
logical formula	interpretation in a model	mathematical object
HTML document	rendering	graphics context

## Heterogeneity of Data and Knowledge

- ▶ Capturing knowledge is difficult
- ▶ Many different approaches to semantics
  - ▶ fundamental formal and methodological differences
  - ▶ often captured in different fields, conferences, courses, languages, tools
- ▶ Data formats equally heterogeneous
  - ▶ ontologies
  - ▶ programs
  - ▶ logical proofs
  - ▶ databases
  - ▶ documents

# Challenges of Heterogeneity

## Challenges

- ▶ collaboration across communities
- ▶ translation across languages
- ▶ conversion between data formats
- ▶ interoperability across tools

## Sources of problems

- ▶ interoperability across formats/tools major source of
  - ▶ complexity
  - ▶ bugs
- ▶ friction in project team due to differing preferences, expertise
- ▶ difficult choice between languages/tools with competing advantages
  - ▶ reverting choices difficult, costly
  - ▶ maintaining legacy choices increases complexity




## Aspects of Knowledge

- ▶ Tetrapod model of knowledge     **active research by our group**
- ▶ classifies approaches to knowledge into five aspects

Aspect	KRLs (examples)
ontologization	ontology languages (OWL), description logics (ALC)
concretization	relational databases (SQL, JSON)
computation	programming languages (C)
deduction	logics (HOL)
narration	document languages (HTML, LaTeX)

## Relations between the Aspects

Ontology is distinguished: capture the knowledge that the other four aspects share



## Complementary Advantages of the Aspects

Aspect	objects	characteristic		
		advantage	joint advantage of the other aspects	application
ded. comp.	formal proofs programs	correctness efficiency	ease of use well-definedness	verification execution
concr. narr.	concrete objects texts	tangibility flexibility	abstraction formal semantics	storage/retrieval human understanding

Aspect pair	characteristic advantage
ded./comp. narr./concr.	rich meta-theory simple languages
ded./narr. comp./concr.	theorems and proofs normalization
ded./concr. comp./narr.	decidable well-definedness Turing completeness

# Structure of the Course

## Aspect-independent parts

- ▶ general methods that are shared among the aspects
- ▶ to be discussed as they come up

## Aspects-specific parts

- ▶ one part (about 2 weeks) for each aspect
- ▶ high-level overview of state of the art
- ▶ focus on comparison/evaluation of the aspect-specific results

## Structure of the Exercises

### One major project

- ▶ representative for a project that a CS graduate might be put in charge of
- ▶ challenging heterogeneous data and knowledge
- ▶ requires integrating/combining different languages, tools

unique opportunity in this course because knowledge is everywhere

### Concrete project

- ▶ develop a univis-style system for a university
- ▶ lots of heterogeneous knowledge
  - ▶ course and program descriptions
  - ▶ legal texts
  - ▶ websites
  - ▶ grade tables
  - ▶ transcript generation code
- ▶ build a completely functional system applying the lessons of the course

# Ontological Knowledge

## Components of an Ontology

8 main declarations

- ▶ **individual** — concrete objects that exist in the real world, e.g., "Florian Rabe" or "WuV"
- ▶ **concept** — abstract groups of individuals, e.g., "instructor" or "course"
- ▶ **relation** — binary relations between two individuals, e.g., "teaches"
- ▶ **properties** — binary relations between an individuals and a concrete value (a number, a date, etc.), e.g., "has-credits"
- ▶ **concept assertions** — the statement that a particular individual is an instance of a particular concept
- ▶ **relation assertions** — the statement that a particular relation holds about two individuals
- ▶ **property assertions** — the statement that a particular individual has a particular value for a particular property
- ▶ **axioms** — statements about relations between concepts, e.g., "instructor"  $\sqsubseteq$  "person"

## Divisions of an Ontology

### Abstract vs. concrete

- ▶ TBox: concepts, relations, properties, axioms  
everything that does not use individuals
- ▶ ABox: individuals and assertions

### Named vs. unnamed

- ▶ Signature: individuals, concepts, relations, properties  
together called entities or resources
- ▶ Theory: assertions, axioms



## Comparison of Terminology

Here	OWL	Description logics	ER model	UML	semantics via logics
individual	instance	individual	entity	object, instance	constant
concept	class	concept	entity-type	class	unary predicate
relation	object property	role	role	association	binary predicate
property	data property	(not common)	attribute	field of base type	binary predicate

domain	individual	concept
type theory, logic	constant, term	type
set theory	element	set
database	row	table
philosophy <sup>1</sup>	object	property
grammar	proper noun	common noun

<sup>1</sup>as in <https://plato.stanford.edu/entries/object/>

## Ontologies as Sets of Triples

Assertion	Triple		
	Subject	Predicate	Object
concept assertion	"Florian Rabe"	is-a	"instructor"
relation assertion	"Florian Rabe"	"teaches"	"WuV"
property assertion	"WuV"	"has credits"	7.5

Efficient representation of ontologies using RDF and RDFS  
standardized special entities.

## Special Entities

RDF and RDFS define special entities for use in ontologies:

- ▶ "rdfs:Resource": concept of which all individuals are an instance and thus of which every concept is a subconcept
- ▶ "rdf:type": relates an entity to its type:
  - ▶ an individual to its concept (corresponding to is-a above)
  - ▶ other entities to their special type (see below)
- ▶ "rdfs:Class": special class for the type of classes
- ▶ "rdf:Property": special class for the type of properties
- ▶ "rdfs:subClassOf": a special relation that relates a subconcept to a superconcept
- ▶ "rdfs:domain": a special relation that relates a relation to the concepts of its subjects
- ▶ "rdfs:range": a special relation that relates a relation/property to the concept/type of its objects

Goal/effect: capture as many parts as possible as RDF triples.

## Declarations as Triples using Special Entities

Assertion	Triple		
	Subject	Predicate	Object
individual	individual	"rdf:type"	"rdfs:Resource"
concept	concept	"rdf:type"	"rdf:Class"
relation	relation	"rdf:type"	"rdf:Property"
property	property	"rdf:type"	"rdf:Property"
concept assertion	individual	"rdf:type"	concept
relation assertion	individual	relation	individual
property assertion	individual	property	value
for special forms of axioms			
$c \sqsubseteq d$	$c$	"rdfs:subClassOf"	$d$
$\text{dom } r \equiv c$	$r$	"rdfs:domain"	$c$
$\text{rng } r \equiv c$	$r$	"rdfs:range"	$c$

## An Example Ontology Language

see syntax of BOL in the lecture notes

# Semantics as Translation

## Example: Syntax of Arithmetic Language

Syntax: represented as formal grammar

### Numbers

$N ::= 0$		$1$	literals
		$N + N$	sum
		$N * N$	product

### Formulas

$F ::= N \doteq N$	equality	
	$N \leq N$	ordering by size

Implementation as inductive data type

## Example: Semantics of Arithmetic Language

Semantics: represented as translation into known language

Problem: Need to choose a known language first

Here: unary numbers represented as strings

Built-in data (strings and booleans):

$S ::= \varepsilon$	empty
(Unicode)	characters
$B ::= \text{true}$	truth
false	falsity

Built-in operations to work on the data:

- ▶ concatenation of strings  $S ::= \text{conc}(S, S)$
- ▶ replacing all occurrences of  $c$  in  $S_1$  with  $S_2$   
 $S ::= \text{replace}(S_1, c, S_2)$
- ▶ equality test:  $B ::= S_1 == S_2$
- ▶ prefix test:  $B ::= \text{startsWith}(S_1, S_2)$



## Example: Semantics of Arithmetic Language

Represented as function from syntax to semantics

- ▶ mutually recursive, inductive functions for each non-terminal symbol
- ▶ compositional: recursive call on immediate subterms of argument

For numbers  $n$ : semantics  $\llbracket n \rrbracket$  is a string

- ▶  $\llbracket 0 \rrbracket = \varepsilon$
- ▶  $\llbracket 1 \rrbracket = \text{"|"}$
- ▶  $\llbracket m + n \rrbracket = \text{conc}(\llbracket m \rrbracket, \llbracket n \rrbracket)$
- ▶  $\llbracket m * n \rrbracket = \text{replace}(\llbracket m \rrbracket, \text{"|"}, \llbracket n \rrbracket)$

For formulas  $f$ : semantics  $\llbracket f \rrbracket$  is a boolean

- ▶  $\llbracket m \doteq n \rrbracket = \llbracket m \rrbracket == \llbracket n \rrbracket$
- ▶  $\llbracket m \leq n \rrbracket = \text{startsWith}(\llbracket n \rrbracket, \llbracket m \rrbracket)$

## Semantics of BOL

Aspect	kind of semantic language	semantic language
deduction	logic	SFOL
concretization	database language	SQL
computation	programming language	Scala
narration	natural language	English

see details of each translation in the lecture notes

## General Definition

A semantics by translation consists of

- ▶ syntax: a formal language  $I$
- ▶ semantic language: a formal language  $L$   
different or same aspect as  $I$
- ▶ semantic prefix: a theory  $P$  in  $L$   
formalizes fundamentals that are needed to represent  $I$ -objects
- ▶ interpretation: translates every  $I$ -theory  $T$  to an  $L$ -theory  $P, \llbracket T \rrbracket$

## Common Principles

Properties shared by all semantics of BOL

not part of formal definition, but best practices

- ▶ *I*-declaration translated to *L*-declaration for the same name
- ▶ ontologies translated declaration-wise
- ▶ one inductive function for every kind of complex *I*-expression
  - ▶ individuals, concepts, relations, properties, formulas
  - ▶ maps *I*-expressions to *L*-expressions
- ▶ atomic cases (base cases): *I*-identifier translated to *L*-identifier of the same name or something very similar
- ▶ complex cases (step cases): compositional

## Compositionality

Case for operator  $*$  in interpretation function compositional iff interpretation of  $*(e_1, \dots, e_n)$  only depends on the interpretation of the  $e_i$

$$\llbracket *(e_1, \dots, e_n) \rrbracket = \llbracket * \rrbracket (\llbracket e_1 \rrbracket, \dots, \llbracket e_n \rrbracket)$$

for some function  $\llbracket * \rrbracket$

Example:  $;$ -operator of BOL in translation to FOL

- ▶ translation:  $\llbracket R_1 ; R_2 \rrbracket = \exists m : \iota. \llbracket R_1 \rrbracket (x, m) \wedge \llbracket R_2 \rrbracket (m, y)$
- ▶ special case of the above via
  - ▶  $* = ;$ ;
  - ▶  $n = 2$
  - ▶  $\llbracket ; \rrbracket = (p_1, p_2) \mapsto \exists m : \iota. p_1(x, m) \wedge p_2(m, y)$
- ▶ Indeed, we have  $\llbracket R_1 ; R_2 \rrbracket = \llbracket ; \rrbracket (\llbracket R_1 \rrbracket, \llbracket R_2 \rrbracket)$

## Compositionality (2)

Translation compositional iff

- ▶ one translation function for each non-terminal all written  $\llbracket - \rrbracket$
- ▶ each defined by one induction on syntax
  - i.e., one case for production
  - mutually recursive
- ▶ all cases compositional

Substitution theorem: a compositional translation satisfies

$$\llbracket E(e_1, \dots, e_n) \rrbracket = \llbracket E \rrbracket(\llbracket e_1 \rrbracket, \dots, \llbracket e_n \rrbracket)$$

for

- ▶ every expression  $E(N_1, \dots, N_n)$  with non-terminals  $N_i$
- ▶ some function  $\llbracket E \rrbracket$  that only depends on  $E$

## Compositionality (3)

$$\llbracket E(e_1, \dots, e_n) \rrbracket = \llbracket E \rrbracket(\llbracket e_1 \rrbracket, \dots, \llbracket e_n \rrbracket)$$

for every expression  $E(N_1, \dots, N_n)$  with non-terminals  $N_i$

Now think of

- ▶ variable  $x_i$  of type  $N_i$  instead of non-terminal  $N_i$
- ▶  $E(x_1, \dots, x_n)$  as expression with free variables  $x_i$  of type  $N_i$
- ▶ expressions  $e$  derived from  $N$  as expressions of type  $N$
- ▶  $E(e_1, \dots, e_n)$  as result of substituting  $e_i$  for  $x_i$
- ▶  $\llbracket E \rrbracket(x_1, \dots, x_n)$  as (semantic) expression with free variables  $x_i$

Then both sides of equations act on  $E(x_1, \dots, x_n)$ :

- ▶ left side yields  $\llbracket E(e_1, \dots, e_n) \rrbracket$  by
  - ▶ first substitution  $e_i$  for  $x_i$
  - ▶ then semantics  $\llbracket - \rrbracket$  of the whole
- ▶ right side yields  $\llbracket E \rrbracket(\llbracket e_1 \rrbracket, \dots, \llbracket e_n \rrbracket)$  by
  - ▶ first semantics  $\llbracket - \rrbracket$  of all parts
  - ▶ then substitution  $\llbracket e_i \rrbracket$  for  $x_i$

semantics commutes with substitution

# Non-Compositionality

## Examples

- ▶ deduction: cut elimination, translation from natural deduction to Hilbert calculus
- ▶ computation: optimizing compiler, e.g., loop unrolling
- ▶ concretization: query optimization, e.g., turning a WHERE of a join into a join of WHEREs,
- ▶ narration: ambiguous words are translated based on context

## Typical sources

- ▶ subcases in a case of translation function
  - ▶ based on inspecting the arguments, e.g., subinduction
  - ▶ based on context
- ▶ custom-built semantic prefix



# Type Systems

## Breakout Question

Is this an improvement over BOL?

Declarations
--------------

$D ::=$	<b>individual</b>	$ID : C$	typed atomic individual
	<b>concept</b>	$ID$	atomic concept
	<b>relation</b>	$ID \subseteq C \times C$	typed atomic relation
	<b>property</b>	$ID \subseteq C \times T$	typed atomic property

rest as before

## Actually, when is a language an improvement?

Criteria: **orthogonal, often mutually exclusive**

- ▶ syntax design trade-off
  - ▶ expressivity: easy to express knowledge  
e.g., big grammar, extra production for every user need
  - ▶ simplicity: easy to implement/interpret  
e.g., few, carefully chosen productions
- ▶ semantics: specify, implement, document
- ▶ intended users
  - ▶ skill level
  - ▶ prior experience with related languages
  - ▶ amount of training needed
- ▶ long-term plans: re-answer the above question but now
  - ▶ maintainability: syntax was changed, everything to be redone
  - ▶ scalability: expressed knowledge content has reached huge sizes

## Church vs. Curry Typing

	intrinsic	extrinsic
$\lambda$ -calculus by type is typing is a objects have types interpreted as	Church carried by object function objects $\rightarrow$ types unique type disjoint sets	Curry given by environment relation objects $\times$ types any number of types unary predicates
type given by example	part of declaration <b>individual</b> "WuV" : "course"	additional axiom <b>individual</b> "Wuv", "WuV" is-a "course"
examples	SFOL, SQL most logics, functional PLs  many type theories	OWL, Scala, English ontology, OO, natural languages set theories

# Type Checking

	intrinsic	extrinsic
type is typing is a objects have	carried by object function objects $\rightarrow$ types unique type	given by environment relation objects $\times$ types any number of types
type given by example	part of declaration <b>individual</b> "WuV" : "course"	additional axiom <b>individual</b> "Wuv", "WuV" is-a "course"
type inference for $x$ type checking subtyping $A <: B$ typing decidable typing errors	uniquely infer $A$ from $x$ inferred=expected cast from $A$ to $B$ yes unless too expressive static (compile-time)	find minimal $A$ with $x : A$ prove $x : A$ $x : A$ implies $x : B$ no unless restricted dynamic (run-time)
advantages	easy unique type inference	flexible allows subtyping

## Curry Typing in BOL

language	objects	types	typing relation
Syntax	individuals	concepts	$i$ is-a $c$
Semantics in			
FOL	type $\iota$	predicates $c \subseteq \iota$	$c(i)$ true
SQL	table Individuals	tables containing ids	id of $i$ in table $c$
Scala	String	hash sets of strings	$c.contains(i)$
English	proper nouns	common nouns	" $i$ is a $c$ " is true

# Subtyping

Subtyping works best with Curry Typing

- ▶ explicit subtyping as in  $\mathbb{N} <: \mathbb{Z}$
- ▶ comprehension/refinement as in  $\{x : \mathbb{N} \mid x \neq 0\}$
- ▶ operations like union and intersection on types
- ▶ inheritance between classes, in which case subclass = subtype
- ▶ anonymous record types as in  $\{x : \mathbb{N}, y : \mathbb{Z}\} <: \{x : \mathbb{N}\}$

## A General Definition of a Type System

A **type system** consists of

- ▶ a collection, whose elements are called **objects**,
- ▶ a collection, whose elements are called **intrinsic types**,
- ▶ a function assigning to every object  $x$  its **intrinsic type**  $I$ , in which case we write  $x : I$ ,
- ▶ for some intrinsic types  $I$ 
  - ▶ an intrinsic type  $E_I$
  - ▶ a relation  $\in_I$  between objects with intrinsic types  $I$  and  $E_I$ , called the **extrinsic typing** relation for  $I$ .



## Examples

System	intrinsic types	$E_I$	$\in_I$
pure Church	one per type	none	none
pure Curry	objects $O$ , types $T$	$E_O = T$	$\in_O = :$
FOL	one per type	none	none
Scala	<i>Any</i> , <i>Class</i>	$E_{Any} = Class$	$\in_{Any} = \text{isInstance}$
BOL	<i>Ind</i> , <i>Conc</i>	$E_{Ind} = Conc$	$\in_{Ind} = \text{is-a}$
set theory	<i>Set</i> , <i>Prop</i>	$E_{Set} = Set$	$\in_{Set} = \in$

## Breakout Question

What do the following have in common?

- ▶ Java class
- ▶ SQL schema for a table
- ▶ logical theory (e.g., Monoid)

## Breakout Question

What do the following have in common?

- ▶ Java class
- ▶ SQL schema for a table
- ▶ logical theory (e.g., Monoid)

all are (essentially) abstract data types

## Abstract Data Types: Motivation

Recall subject-centered representation of assertion triples:

```
individual "FlorianRabe"  
  is-a "instructor" "male"  
  "teach" "WuV" "KRMT"  
  "age" 40  
  "office" "11.137"
```

Can we use types to force certain assertions to occur together?

- ▶ Every instructor should teach a list of courses.
- ▶ Every instructor should have an office.

## Abstract Data Types: Motivation

Inspires **subject-centered types**, e.g.,

```
concept instructor
  teach course*
  age: int
  office: string
```

```
individual "FlorianRabe": "instructor"
  is-a "male"
  teach "WuV" "KRMT"
  age 40
  office "11.137"
```

Incidental benefits:

- ▶ no need to declare relations/properties separately
- ▶ reuse relation/property names  
distinguish via qualified names: `instructor .age`

## Abstract Data Types: Motivation

Natural next step: inheritance

```
concept person
  age: int
```

```
concept male <: person
```

```
concept instructor <: person
  teach course*
  office: string
```

```
individual "FlorianRabe": "instructor"  $\sqcap$  "male"
  "teach" "WuV" "KRMT"
  "age" 40
  "office" "11.137"
```

our language quickly gets a very different flavor

## Abstract Data Types: Examples

Prevalence of abstract data types:

aspect	language	abstract data type
ontologization	UML	class
concretization	SQL	table schema
computation	Scala	class, interface
deduction	various	theory, specification, module, locale
narration	various	emergent feature

same idea, but may look very different across languages

## Abstract vs. Concrete Types

**Concrete** type: values are

- ▶ given by their internal form,
- ▶ defined along with the type, typically built from already-known pieces.

examples: products, inductive data types

**Abstract** type: values are

- ▶ given by their externally visible properties,
- ▶ defined in any environment that understands the type definition.

main example: abstract data types



## Abstract Data Types: Examples

aspect	type	values
computation	abstract class	instances of implementing classes
concretization	table schema	table rows
deduction	theory	models

Values depend on the environment in which the type is used:

- ▶ class defined in one specification language (e.g., UML),  
implementations in programming languages Java, Scala, etc.  
available values may depend on run-time state
- ▶ theory defined in logic,  
models defined in set theories, type theories, programming  
languages  
available values may depend on philosophical position

## Abstract Data Types: Definition

Given some type system, an **abstract data type** (ADT) is

- ▶ a **flat** type

$$\{c_1 : T_1[= t_1], \dots, c_n : T_n[= t_n]\}$$

where

- ▶  $c_i$  are distinct names
  - ▶  $T_i$  are types
  - ▶  $t_i$  are optional definitions; if given,  $t_i : T_i$  required
- ▶ or a **mixin** type

$$A_1 * \dots * A_n$$

for ADTs  $A_i$ .

Languages may or may not make ADTs additional types of the type system

## Abstract Data Types: Class Definitions

A class definition in OO:

```
abstract class  $a$  extends  $a_1$  with ... with  $a_m$  {  
   $c_1 : T_1$   
   $\vdots$   
   $c_n : T_n$   
}
```

Corresponding ADT definition:

$$a = a_1 * \dots * a_m * \{c_1 : T_1, \dots, c_n : T_n\}$$

The usual terminology:

- ▶  $a$  **inherits** from  $a_i$
- ▶  $a_i$  are **super- $X$**  or **parent- $X$**  of  $a$  where  $X$  is whatever the language calls its ADTs (e.g.,  $X$ =class)

## Abstract Data Types: Flattening

The **flattening**  $A^b$  of an ADT  $A$  is

- ▶ if  $A$  is flat:  $A^b = A$
- ▶  $(A_1 * \dots * A_n)^b$  is union of all  $A_i^b$   
where duplicate field names are handled as follows
  - ▶ same name, same type, same or omitted definition: merge  
details may be much more difficult
  - ▶ otherwise: ill-formed

## Abstract Data Types: Subtleties

We gloss over several major issues:

- ▶ How exactly do we merge duplicate field names? Does it always work? **implement abstract methods, override, overload**
- ▶ Is recursion allowed, i.e., can I define an ADT  $a = A$  where  $a$  occurs in  $A$ ?  
**common in OO-languages: use  $a$  in the types of its fields**
- ▶ What about ADTs with type arguments?  
**e.g., generics in Java, square-brackets in Scala**
- ▶ Is mutual recursion between fields in a flat type allowed?  
**common in OO-languages**
- ▶ Is  $*$  commutative? What about dependencies between fields?  
**no unique answers**  
**incarnations of ADTs subtly different across languages**

# Context-Sensitive Syntax

## Definition

A **language system** consists of

- ▶ context-free syntax
- ▶ distinguished non-terminal symbol  $\mathcal{V}$   
words called **vocabularies**
- ▶ some distinguished non-terminal symbols  $\mathcal{E}$   
words called  **$\mathcal{E}$ -expressions**
- ▶ unary predicate  $\text{wft}(\Theta)$  on vocabularies  $\Theta$   
well-formed vocabulary  $\Theta$
- ▶ unary predicates  $\text{wff}_{\Theta}^{\mathcal{E}}(E)$  well-formed  $\mathcal{E}$ -expressions  $E$

## Typical Structure

### Vocabularies

- ▶ lists of declarations

### Declarations

- ▶ named
- ▶ at least one for each expression kind
- ▶ may contain other expressions e.g., type, definition
- ▶ may contain nested declarations e.g., fields in an ADT

### Expressions

- ▶ inductive data type
- ▶ relative to vocabulary names occur as base cases
- ▶ formulas as special case



## Vocabularies and Expressions

Aspect	vocabulary $\Theta$	expression kinds $\mathcal{E}$
Ontologization	ontology	individual, concept, relation, property, formula
Concretization	database schema	cell, row, table, formula
Computation	program	term, type, object, class, ...
Logic	signature, theory	term, type, formula, ...
Narration	dictionary	phrases, sentences, texts

## Examples

See notes made during the lecture for examples

# Concrete Knowledge and Typed Ontologies

# Motivation

## Main ideas

- ▶ Ontology abstractly describes concepts and relations
- ▶ Tool maintains concrete data set
- ▶ Focus on efficiently
  - ▶ identifying (i.e., assign names)
  - ▶ representing
  - ▶ processing
  - ▶ querying

large sets of concrete data

## Recall: TBox-ABox distinction

- ▶ TBox: general parts, abstract, fixed  
main challenge: correct modeling of domain
- ▶ ABox: concrete individuals and assertions about them, growing  
main challenge: aggregate them all

## Concrete Data

### Concrete is

- ▶ Base values: integers, strings, booleans, etc.
- ▶ Collections: sets, multisets, lists (always finite)
- ▶ Aggregations: tuples, records (always finite)
- ▶ User-defined concrete data: enumerations, inductive types
- ▶ Advanced objects: finite maps, graphs, etc.

### Concrete is not

- ▶ Free symbols to be interpreted by a model  
exception: foreign function interfaces
  - ▶ Variables (free or bound)  $\lambda$ -abstraction, quantification
  - ▶ Symbolic expressions formulas, algorithms
- Exceptions:
- ▶ expressions of inductive type
  - ▶ application of built-in functions
  - ▶ queries that return concrete data

## Breakout question

What is the difference between

- ▶ an OWL ontology
- ▶ an SQL database

## Two Approaches

### Based on **untyped** (Curry-typed) ontology languages

- ▶ Representation based on **knowledge graph**
- ▶ Ontology written in BOL-like language
- ▶ Data maintained as **set of triples** tool = triple store
- ▶ Typical language/tool design
  - ▶ ontology and query language **separate** e.g., OWL, SPARQL
  - ▶ triple store and query engine integrated e.g., Virtuoso tool

### Based on **typed** (Church-typed) ontology languages

- ▶ Representation based on **abstract data types**
- ▶ Ontology written as database schema
- ▶ Data maintained as **tables** tool = (relational) database
- ▶ Typical language/tool design
  - ▶ ontology and query language **integrated** e.g., SQL
  - ▶ table store and query engine integrated e.g., SQLite tool

## Evolution of Approaches

### Our usage is non-standard

- ▶ Common
  - ▶ ontologies = untyped approach, OWL, triples, SPARQL
  - ▶ databases = typed approach, tables, SQL
- ▶ Our understanding: two approaches evolved from same idea
  - ▶ triple store = untyped database
  - ▶ SQL schema = typed ontology

### Evolution

- ▶ Typed-untyped distinction minor technical difference
- ▶ Optimization of respective advantages causes speciation
- ▶ Today segregation into different
  - ▶ jargons
  - ▶ languages, tools
  - ▶ communities, conferences
  - ▶ courses



## Curry-typed concrete data

### Central data structure = knowledge graph

- ▶ nodes = individuals  $i$ 
  - ▶ identifier
  - ▶ sets of concepts of  $i$
  - ▶ key-value sets of properties of  $i$
- ▶ edges = relation assertions
  - ▶ from subject to object
  - ▶ labeled with name of relation

### Processing strengths

- ▶ store: as triple set
- ▶ edit: Protege-style or graph-based
- ▶ visualize: as graph different colors for concepts, relations
- ▶ query: match, traverse graph structure
- ▶ untyped data simplifies integration, migration

## Church-typed concrete data

### Central data structure = relational database

- ▶ tables = abstract data type
- ▶ rows = objects of that type
- ▶ columns = fields of ADT
- ▶ cells = values of fields

### Processing strengths

- ▶ store: as CSV text files, or similar
- ▶ edit: SQL commands or table editors
- ▶ visualize: as table view
- ▶ query: relational algebra
- ▶ typed data simplifies selecting, sorting, aggregating

## Identifiers

### Curry-Typed Knowledge graph

- ▶ concept, relation, property names given in TBox
- ▶ individual names attached to nodes

### Church-Typed Database

- ▶ table, column names given in schema
- ▶ row identified by distinguished column (= key)  
options
  - ▶ preexistent characteristic column
  - ▶ added upon insertion
    - ▶ UUID string
    - ▶ incremental integers
    - ▶ concatenation of characteristic list of columns
- ▶ column/row identifiers formed by qualifying with table name

# Axioms

## Curry-Typed Knowledge Graph

- ▶ traditionally very expressive axioms
- ▶ yields inferred assertions
- ▶ triple store must do consequence closure to return correct query results
- ▶ not all axioms supported by every triple store

## Church-Typed Database

- ▶ typically no axioms
- ▶ instead consistency constraints, triggers
- ▶ allows limited support for axioms without calling it that way
- ▶ stronger need for users to program the consequence closure manually

## Breakout question

When using typed concrete data,  
how to fully realize abstract data types

- ▶ nesting: ADTs occurring as field types
- ▶ inheritance between ADTs
- ▶ mixins

## ADTs in Typed Concrete Data

### Nesting: field $a : A$ in ADT $B$

- ▶ field types must be base types,  $a : A$  not allowed
- ▶ allow  $ID$  as additional base type
- ▶ use field  $a : ID$  in table  $B$
- ▶ store value of  $b$  in table  $A$

### Inheritance: $B$ inherits from $A$

- ▶ add field  $parent_A$  to table  $B$
- ▶ store values of inherited fields of  $B$  in table  $A$

general principle: all objects of type  $A$  stored in same table

### Mixin: $A * B$

- ▶ essentially join of tables  $A$  and  $B$  on common fields
- ▶ some subtleties depending on ADT flattening

## Open/Closed World

- ▶ Question: is the data complete?
  - ▶ closed world: yes
  - ▶ open world: not necessarily
- ▶ Dimensions of openness
  - ▶ existence of individual objects
  - ▶ assertions about them
- ▶ Sources of openness
  - ▶ more exists but has not yet been added
  - ▶ more could be created later
- ▶ Orthogonal to typed/untyped distinction, but in practice
  - ▶ knowledge graphs use open world
  - ▶ databases use closed world

Open world is natural state, closing adds knowledge

## Closing the World

### Derivable consequences

- ▶ induction: prove universal property by proving for each object
- ▶ negation by failure: atomic property false if not provable
- ▶ term-generation constraint: only nameable objects exist

### Enabled operations

- ▶ universal set: all objects
- ▶ complement of concept/type
- ▶ defaults: assume default value for property if not otherwise asserted

### Monotonicity problem

- ▶ monotone operation: bigger world = more results
- ▶ examples: union, intersection,  $\exists R.C$ , join, IN conditions
- ▶ counter-examples: complement,  $\forall R.C$ , NOT IN conditions

technically, non-monotone operations in open world dubious



# Primitive Types and Encoding Data

# Primitive Types and Encoding Data

## Motivation

## Data Interoperability

### Situation

- ▶ languages systems focus on different aspects  
frequent need to exchange data
- ▶ generally, lots of aspect/language-specific objects  
proofs, programs, tables, sentences
- ▶ but same/similar **primitive** data types used across systems  
should be easy to exchange

### Problem

- ▶ crossing system barriers usually require interchange language  
serialize as string and reparse
- ▶ interchange languages typically untyped    XML, JSON, YAML, ...

### Solution

- ▶ standardize primitive data types
- ▶ standardize encoding in interchange languages

## Primitive vs. Declared

### Primitive Types

- ▶ built into the language
- ▶ assumed to exist a priori fundamentals of nature
- ▶ fixed semantics (usually interpreted by identity function)

### Triple Structure: 3 kinds of named objects

- ▶ the type eg: 'int'
- ▶ values of the type eg: 0, 1, -1, ...
- ▶ operations on type eg: addition, multiplication, ...

	primitive	declared
introduced by	language designer	user
introduced in	grammar	vocabulary $V$
visible in	all vocabularies	$V$ only
semantics given	explicitly	implicitly
... by	translation function	axioms

## Examples

### Typical primitive types

- ▶ natural numbers ( $= \mathbb{N}$ )
- ▶ arbitrary precision integers ( $= \mathbb{Z}$ )
- ▶ fixed precision integers (32 bit, 64 bit, ...)
- ▶ floating point (float, double, ...)
- ▶ Booleans
- ▶ characters (ASCII, Unicode)
- ▶ strings

### Observation:

- ▶ essentially the same in every language  
including whatever language used for semantics
- ▶ semantics by translation trivial

## Quasi-Primitive = Declared in standard library

### Standard library

- ▶ present in every language      assumed empty vocabulary by default
- ▶ one fixed vocabulary
  - ▶ implicitly included into every other vocabulary
  - ▶ implicitly fixed by any translation between vocabularies
- ▶ objects technically declared
- ▶ but practically part of primitive objects

### Examples

- ▶ sufficiently expressive languages
  - ▶ push many primitive objects to standard library      never all
  - ▶ simplifies language, especially when defining operations
    - strings in C, BigInteger in Java, inductive type for  $\mathbb{N}$
- ▶ inexpressive languages
  - ▶ many primitives      SQL, spreadsheet software
  - ▶ few (quasi)-primitives      few operations available in OWL

## Treatment in this Course

### BOL syntax and semantics so far

- ▶ primitive objects omitted in syntax
- ▶ assumed reasonable collection available
- ▶ assumed same (quasi-)primitive objects in semantic languages  
irrelevant if interpreting primitive objects as primitive or quasi-primitive

largely justified by practical languages

### But what exactly is the standard?

- ▶ will present possible solution
- ▶ uses special ontology language just for specifying primitive objects
  - ▶ name
  - ▶ type
  - ▶ semanticstypically narrative; alternatively deductive, computational
- ▶ current research, not standard practice

# Encoding Primitive Types

## Problem

- ▶ quickly encounter primitive types not supported by common languages
- ▶ need to encode them using existing types  
typically as strings, ints, or products/lists thereof

## Examples

- ▶ date, time, color, location on earth
- ▶ graph, function
- ▶ picture, audio, video
- ▶ physical quantities (*1m*, *1in*, etc.)
- ▶ gene, person

Breakout questions: What primitive types do we need for univis?



## Failures of Encodings

### Y2K bug

- ▶ date encoded as tuple of integers, using 2 digits for year
- ▶ needed fixing in year 2000
- ▶ estimated \$300 billion spent to change software
- ▶ possible repeat: in 2038, number of seconds since 1970-01-01 (used by Unix to encode time as integer) overflows 32-bit integers

### Genes in Excel

- ▶ 2016 study found errors in 20% of spreadsheets accompanying genomics journal papers
- ▶ gene names encoded as strings but auto-converted to other types by Excel
  - ▶ "SEPT2" (Septin 2) converted to September 02
  - ▶ REKIN identifiers, e.g., "2310009E13", converted to float  $2.31E + 1$

## Failures of Encodings (2)

### Mars Climate Orbiter

- ▶ two components exchanged physical quantity
- ▶ specification required encoding as number using unit Newton seconds
- ▶ one component used wrong encoding (with pound seconds as unit)
- ▶ led to false trajectory and loss of \$300 million device

### Shellshock

- ▶ bash allowed gaining root access from 1998 to 2014
- ▶ function definitions were encoded as source code
- ▶ not decoded at all; instead, code simply run (as root)
- ▶ allowed appending ";" ... to function definitions

SQL injection similar: complex data encoded as string, no decoding

# Research Goal for Aspect-Independent Data in Tetrapod

## Standardization of Common Data Types

- ▶ Ontology language optimized for declaring types, values, operations  
semantics must exist but can be extra-linguistic
- ▶ Vocabulary declaring such objects  
should be standardized, modular, extensible

## Standardization of Codecs

- ▶ Fixed small set of primitive objects  
should be (quasi-)primitive in every language  
not too expressive, possibly untyped
- ▶ Standard codecs for translating common types to interchange languages

## Codec for type $A$ and int. lang. $L$

- ▶ coding function  $A$ -values  $\rightarrow L$ -objects
- ▶ partial decoding function  $L$ -objects  $\rightarrow A$ -values
- ▶ inverse to each other in some sense

# Overview

## Next steps

1. Data types
2. Data interchange languages
3. Codecs

# Primitive Types and Encoding Data

## Data Types

## Breakout Question

What types do we need?

## Atomic Data Types: basic

### typical in IT systems

- ▶ fixed precision integers (32 bit, 64 bit, ...)
- ▶ IEEE float, double
- ▶ Booleans
- ▶ Unicode characters
- ▶ strings could be list of characters but usually bad idea

### typical in math

- ▶ natural numbers ( $= \mathbb{N}$ )
- ▶ arbitrary precision integers ( $= \mathbb{Z}$ )
- ▶ rational, real, complex numbers
- ▶ graphs, trees

clear: language must be modular, extensible

## Atomic Data Types: advanced

### general purpose

- ▶ date, time, color, location on earth
- ▶ picture, audio, video

### domain-specific

- ▶ physical quantities (*1m*, *1in*, etc.)
- ▶ gene, person
- ▶ semester, course id, ...

clear: language must be modular, extensible



## Complex Data Types

- ▶ relatively easy if all primitive types atomic `int, string, etc.`
- ▶ but need to allow for complex types

### Two kinds

- ▶ type operators: take **only type arguments**, return types
  - ▶ type operator  $\times$
  - ▶ takes two types  $A, B$
  - ▶ returns type  $A \times B$
- ▶ dependent types: take **also data arguments**, return types
  - ▶ dependent type operator *vector*
  - ▶ takes natural number  $n$ , type  $A$
  - ▶ returns type  $A^n$  of  $n$ -tuples over  $A$

`dependent types much more complicated, less uniformly used`  
`harder to standardize`

## Collection Data Types

### Homogeneous Collection Types

- ▶ sets
- ▶ multisets (= bags)
- ▶ lists      all unary type operators, e.g. *list A* is type of lists over *A*
- ▶ fixed-length lists (= Cartesian power, vector *n*-tuple)  
dependent type operator

### Heterogeneous Collection Types

- ▶ lists
- ▶ fixed-length lists (= Cartesian power, *n*-tuple)
- ▶ sets
- ▶ multisets (= bags)  
all atomic types, e.g., *list* is type of lists over any objects

## Aggregation Data Types

### Products

- ▶ Cartesian product of some types  $A \times B$   
values are pairs  $(x, y)$     numbered projections  $_1, _2$  — order relevant
- ▶ labeled Cartesian product (= record)  $\{a : A, b : B\}$   
values are records  $\{a = x, b = y\}$   
named projections  $a, b$  — order irrelevant

### Disjoint Unions

- ▶ disjoint union of some types  $A \uplus B$   
values are  $inj_1(x), inj_2(y)$  numbered injections  $_1, _2$  — order relevant
- ▶ labeled disjoint union  $a(A)|b(B)$   
values are constructor applications  $a(x), b(y)$   
named injections  $a, b$  — order irrelevant

labeled disjoint unions uncommon

but recursive labeled disjoint union = inductive data type

## Subtyping

- ▶ relatively easy if all data types disjoint
- ▶ better with subtyping      open problem how to do it nicely

### Subtyping Atomic Types

- ▶  $\mathbb{N} <: \mathbb{Z}$
- ▶ ASCII <: Unicode

### Subtyping Complex Types

- ▶ covariance subtyping (= vertical subtyping) same for disjoint unions

$$A <: A' \Rightarrow \text{list } A <: \text{list } A'$$

$$A_i <: A'_i \Rightarrow \{\dots, a_i : A_i, \dots\} <: \{\dots, a_i : A'_i, \dots\}$$

- ▶ structural subtyping (= horizontal subtyping)

$$\{a : A, b : B\} :> \{a : A, b : B, c : C\}$$

$$a(A)|b(B) <: a(A)|b(B)|c(C)$$

## A Basic Language for Typed Data

Let BDL be given by

### Types

$T ::= int \mid float \mid string \mid bool$     base types  
 |  $list\ T$     homogeneous lists  
 |  $(ID : T)^*$     record types  
 |  $\dots$     additional types

### Data

$D ::= (64\ bit\ integers)$   
 |  $(IEEE\ double)$   
 |  $"(Unicode\ strings)"$   
 |  $true \mid false$   
 |  $D^*$     lists  
 |  $(ID = D)^*$     records  
 |  $\dots$     constructors for additional types

## BDL Extended with Named ADTs

$V ::= D^*$	Vocabularies
$D ::= \mathbf{adt} \ t \ \{\mathbf{ID} : T^*\}$	ADT definitions
$\mathbf{datum} \ d : T = D$	data definitions

## Types

$T ::= \dots$	as before
$t$	reference to a named ADT

## Data

$D ::= \dots$	as before
$d$	reference to a named datum
$t\{(\mathbf{ID} = D)^*\}$	ADT elements

# Primitive Types and Encoding Data

## Data Representation Languages

## Overview

### General Properties

- ▶ general purpose or domain-specific
- ▶ typed or untyped
  - typical: Church-typed but no type operators, quasi untyped
- ▶ text or binary serialization
- ▶ libraries for many programming languages
  - ▶ data structures
  - ▶ serialization (data structure to string)
  - ▶ parsing (string to data structure, partial)

### Candidates

- ▶ XML: standard on the web, notoriously verbose
- ▶ JSON: JavaScript objects, more human-friendly text syntax
  - older than XML, probably better choice than XML in retrospect
- ▶ YAML: line/indentation-based



## Breakout Question

What is the difference between JSON, YAML, XML?

## Typical Data Representation Languages

XML, JSON, YAML essentially the same

except for concrete syntax

### Atomic Types

- ▶ integer, float, boolean, string
- ▶ need to read fine-print on precision

### (Not Very) Complex Types

- ▶ heterogeneous lists a single type for all lists
- ▶ records a single type for all records

## Example: JSON

JSON:

```
{
  "individual" : "FlorianRabe",
  "age" : 40,
  "concepts" : ["instructor", "male"],
  "teach" : [
    {"name" : "Wuv", credits : 7.5},
    {"name" : "KRMT", credits : 5}
  ]
}
```

Weirdnesses:

- ▶ atomic/list/record = basic/array/object
- ▶ record field names are arbitrary strings, must be quoted
- ▶ records use : instead of =

## Example: YAML

inline syntax: same as JSON but without quoted field names

alternative: indentation-sensitive syntax

```
individual : "FlorianRabe"  
age : 40  
concepts :  
  - "instructor"  
  - "male"  
teach :  
  - name : "WuV"  
    credits : 7.5  
  - name : "KRMT"      credits : 5
```

Weirdnesses:

- ▶ atomic/list/record = scalar/collection/structure
- ▶ records use : instead of =

## Example: XML

Weird structure but very similar

- ▶ elements both record (= attributes) and list (= children)
- ▶ elements carry name of type (= tag)

```
<Person individual="Florian Rabe" age="40">
  <concepts>
    <Concept>instructor </Concept/>
    <Concept>male</Concept/>
  </concepts>
  <teach>
    <Course name="WuV" credits="7.5" />
    <Course name="KRMT" credits="5" />
  </teach>
</Person>
```

- ▶ Good: Person, Course, Concept give type of object  
easier to decode
- ▶ Bad: value of record field must be string  
concepts cannot be given in attribute  
integers, Booleans, whitespace-separated lists coded as strings

## Structure Sharing

### Problem

- ▶ Large objects are often redundant specially when machine-produced
- ▶ Same string, URL, mathematical objects occurs in multiple places
- ▶ Handled in memory via pointers
- ▶ Size of serialization can explode

### Solution 1: in language

- ▶ Add definitions to language common part of most languages anyway
  - ▶ Users should introduce name whenever object used twice
  - ▶ Problem: only works if
    - ▶ duplication anticipated
    - ▶ users introduced definition
    - ▶ duplication within same context
- structure-sharing most powerful if across contexts

## Structure Sharing (2)

### Solution 2: in tool

- ▶ Use factory methods instead of constructors
- ▶ Keep huge hash set of all objects
- ▶ Reuse existing object if already in hash set
- ▶ Advantages
  - ▶ allows optimization
  - ▶ transparent to users
- ▶ Problem: only works if
  - ▶ for immutable data structures
  - ▶ if no occurrence-specific metadata e.g., source reference

### In data representation language

- ▶ Allow any subobject to carry identifier
- ▶ Allow identifier references as subobjects  
allows preserving structure-sharing in serialization

supported by XML, YAML

# Primitive Types and Encoding Data

## Codecs



## General Definition

Throughout this section, we fix a data representation language  $L$ .

$L$ -words called codes

Given a data type  $T$ , a codec for  $T$  consists

- ▶ coding function:  $c : T \rightarrow L$
- ▶ partial decoding function:  $d : L \rightarrow^? T$
- ▶ such that

$$d(c(x)) = x$$

## Codec Operators

Given a data type operator  $T$  taking  $n$  type arguments,  
a codec operator  $C$  for  $T$

- ▶ takes  $n$  codecs  $C_i$  for  $T_i$
- ▶ returns a codec  $C(C_1, \dots, C_n)$  for  $T(T_1, \dots, T_n)$

## Exercise 4

We fix strings as the data representation language  $L$ .

Then,

1. Jointly specify
  - ▶ additional BDL types and constructors for univis-specific data
  - ▶ codecs and codec operators for all types resp. type operators
2. Individually, in any programming language, implement
  - ▶ data structures for BDL
  - ▶ string codecs (operators) for all BDL base types (operators)
3. Use your codecs to exchange example data with your fellow students, who used different implementations and different programming languages.

## Codecs for Base Types

We define codecs for the base types using strings as the data representation language  $L$ .

Easy cases:

- ▶ `StandardFloat`: as specified in IEEE floating point standard
- ▶ `StandardString`: as themselves, quoted
- ▶ `StandardBool`: as *true* or *false*
- ▶ `StandardInt` (64-bit): decimal digit-sequences as usual

## Breakout Question

How to encode unlimited precision integers?

## Codecs for Unlimited Precision Integers

Encode  $z \in \mathbb{Z}$

- ▶  $L$  is strings: decimal digit sequence as usual
- ▶  $L$  is JSON:
  - ▶ IntAsInt: decimal digit sequence as usual  
JSON does not specify precision  
but target systems may get in trouble
  - ▶ IntAsString: string containing decimal digit sequence  
safe but awkward
  - ▶ IntAsDecList: list of decimal digits  
safe but awkward
  - ▶ IntAsList1: as list of digits for base  $2^{64}$   
OK, but we can do better
  - ▶ IntAsList2: as list of
    - ▶ integer for the number of digits, sign indicate sign of  $z$
    - ▶ list of digits of  $|z|$  for base  $2^{64}$

Question: Why is this smart?

## Codecs for Unlimited Precision Integers

Encode  $z \in \mathbb{Z}$

- ▶  $L$  is strings: decimal digit sequence as usual
- ▶  $L$  is JSON:
  - ▶ IntAsInt: decimal digit sequence as usual  
JSON does not specify precision  
but target systems may get in trouble
  - ▶ IntAsString: string containing decimal digit sequence  
safe but awkward
  - ▶ IntAsDecList: list of decimal digits  
safe but awkward
  - ▶ IntAsList1: as list of digits for base  $2^{64}$   
OK, but we can do better
  - ▶ IntAsList2: as list of
    - ▶ integer for the number of digits, sign indicate sign of  $z$
    - ▶ list of digits of  $|z|$  for base  $2^{64}$

Question: Why is this smart?

Can use lexicographic ordering for size comparison

## Codecs for Lists

Encode list  $x$  of elements of type  $T$

- ▶  $L$  is strings: e.g., comma-separated list of  $T$ -encoded elements of  $x$
- ▶  $L$  is JSON:
  - ▶ ListAsString: like for strings above
  - ▶ ListFromArray: lists JSON array of  $T$ -encoded elements of  $x$



## Additional Types

Examples: semester

Extend BDL:

Types

$T ::= \text{Sem}$                       semester

Data

$D ::= \text{sem}(int, bool)$     i.e., year + summer?

Define standard codec:

$\text{sem}(y, true) \rightsquigarrow "SSY"$

$\text{sem}(y, false) \rightsquigarrow "WSY"$

where  $Y$  is encoding of  $y$

## Additional Types (2)

Examples: timestamps

Extend BDL:

Types

$T ::= \text{timestamp}$

Data

$D ::= (\text{productions for dates, times, etc.})$

Standard codec: encode as string as defined in ISO 8601

# Primitive Types and Encoding Data

## Data Interchange

## Design

### 1. Specify type system, e.g., BDL

- ▶ types
- ▶ constructors
- ▶ operations

can be done in appropriate type theory

### 2. Pick data representation language $L$

### 3. Specify codecs for type system and $L$

- ▶ at least one codec per base type
- ▶ at least one codec operator per type operator

on paper

### 4. Every system implements

- ▶ type system (as they like) typically aspect-specific constraints
- ▶ codecs as specified
- ▶ function mapping types to codecs

### 5. Systems can exchange data by encoding-decoding

type-safe because codecs chosen by type

## Example

Implementation in Scala part of course resources

# Example Application: OpenDreamKit research project

JANE WANTS TO EXPERIMENT WITH INVARIANT THEORY OF FINITE GROUPS  
SHE IS A SAGEMATH USER AND WANTS TO RECEIVE THE RESULT IN SAGEMATH



$R = \mathbb{Z}[x_1, \dots, x_n]$

PICK SOME POLYNOMIAL P FROM R AND CONSIDER THE IDEAL I OF R GENERATED BY THE ORBIT O OF P

$O = G \cdot P \quad I = \langle O \rangle_R$

SHE WANTS:

- GAP'S ORBIT ALGORITHM
- SINGULAR'S GRÖBNER ALGORITHM

**GOAL:**

- CONSTRUCT AN IDEAL I THAT IS FIXED BY A GROUP G ACTING ON THE VARIABLES
- LINK PROPERTIES OF G TO PROPERTIES OF I

SHE NEEDS THE GRÖBNER BASIS B OF I

JANE CAN SEE THE RESULT IN SAGEMATH

**STEP 1**

SHE CONSTRUCTS  $R = \mathbb{Z}[x_1, x_2, x_3, x_4]$   
THE OBJECTS  $P = 3x_1 + 2x_2$   
IN SAGEMATH  $G = \text{DihedralGroup}(4)$

**STEP 2**

SHE CALLS

```
O = MitM.GAP.orbit(G,P)
I = MitM.Singular.Ideal(O)
B = I.Groebner().Sage()
```

the orbit  
the ideal  
the Gröbner basis

TRANSLATION OF B TO THE SAGEMATH SYSTEM DIALECT

**sojge**

**STEP 3**



**sojge**

COMPUTES THE GRÖBNER BASIS B

**SINGULAR**

CONSTRUCTS THE IDEAL I


TRANSLATION OF O TO THE SINGULAR SYSTEM DIALECT

**MATH IN THE MIDDLE MEDIATOR**

TRANSLATION OF O TO G, P THE GAP SYSTEM DIALECT



COMPUTES THE ORBIT O



## Integrating BOL and BDL

### OWL-near option

- ▶ use BDL to define the primitive types of BOL
- ▶ use those as types of BOL properties
- ▶ Curry-typing throughout easy: just merge the grammars

### SQL-near option

- ▶ use BDL to define the primitive types of BOL
- ▶ also add ADTs
- ▶ Church typing more prominent  
open question: ADTs in addition to or instead of BOL concepts

We assume the latter for now without spelling out the details.

## BDL-Mediated Interoperability

### Idea

- ▶ define data types in BDL or similar typed ontology language
- ▶ use ADTs
- ▶ generate corresponding
  - ▶ class definitions for programming languages PL one class per ADT
  - ▶ table definitions in SQL one table per ADT
- ▶ use codecs to convert automatically when interchanging data between PL and SQL

### Open research problem

no shiny solution yet that can be presented in lectures



## Codecs in ADT Definitions

SQL table schema = list of fields where field is

- ▶ name
- ▶ type only types of database supported

BDL semantic table schema = list of fields where field is

- ▶ name
- ▶ type  $T$  of **type system** independent of database
- ▶ codec for  $T$  using primitive objects of database as codes  
see research paper [https://kwarc.info/people/frabe/Research/WKR\\_](https://kwarc.info/people/frabe/Research/WKR_)

Codec could be chosen automatically, but we want to allow multiple users a choice of codecs for the same type.

## Example

Ontology based on BDL-ADTs with additional codec information:

```
schema Instructor
```

```
<<<<<<< Updated upstream
```

```
  name:      string      codec StandardString
```

```
  age:       int         codec StandardInt
```

```
  courses:  list Course  codec CommaSeparatedList CourseAsName
```

---

```
  name:      string      codec StandardString
```

```
  age:       int         codec StandardInt
```

```
  courses:  list Course  codec CommaSeparatedList CourseAsName
```

```
>>>>>>> Stashed changes
```

```
schema Course
```

```
  name:      string      codec StandardString
```

```
  credits:   float       codec StandardFloat
```

```
  semester: Semester    codec SemesterAsString
```

Generated SQL tables:

```
CREATE TABLE Instructor
```

```
  (name string , age int , courses string)
```

```
CREATE TABLE Course
```

```
  (name string , credits float , semester string)
```

## Open Problem: Non-Compositionality

### Sometimes optimal translation is non-compositional

- ▶ example translate *list*-type in ADT to comma-separated string in DB
- ▶ better break up *list B* fields in type *A* into separate table with columns for *A* and *B*

### Similar problems

- ▶ a pair type in an ADT could be translated to two separate columns
- ▶ an option type in an ADT could be translated to a normal column using SQL's NULL value

## Open Problem: Querying

- ▶ General setup
  - ▶ write SQL-style queries using at the BDL level
  - ▶ automatically encode values when writing to database from PL
  - ▶ automatically decode query results when reading from DB
- ▶ But queries using semantic operations cannot always be translated to DB
  - ▶ operation  $IsSummer : Semester \rightarrow bool$  in BDL
  - ▶ query `SELECT * FROM course WHERE IsSummer(semester)`
  - ▶ how to map  $IsSummer$  to SQL?
- ▶ Ontology operations need commuting operations on codes
  - ▶ given  $f : A \rightarrow B$  in BDL, codecs  $C, D$  for  $A$  and  $B$
  - ▶ SQL function  $f'$  commutes with  $f$  iff

$$B.decode(f'(C.encode a)) = f(a)$$

for all  $a : A$

## Exercise 5, part 1

We build on the implementation of BDL and codecs from Exercise 4 and on the database schemas from Exercise 3.

1. Extend the implementation to BDL+ADT (see Slide 101).

2. Extend

- ▶ codecs and codec operators with identifiers  $l ::= (\text{strings})$

- ▶ ADT fields with codec expressions  $c ::= l \mid l(c_1 \dots, c_n)$

and write a function that maps  $c$  to the corresponding codec.

## Exercise 5, part 2

3. Write a function that takes a vocabulary (= a list of ADT definitions with codec expressions) and generates an SQL schema for it. Use the type returned by the codec as the database type.
4. Write a function that takes an element  $d$  of an ADT and generates the SQL (or CSV) representation of  $d$  with all field values encoded by the corresponding codec.
5. Write a function that takes an ADT name and a SQL or CSV object and applies decoding to build the corresponding ADT element.
6. Test this by
  - ▶ writing some of your univis table schemas as ADTs and some example values as ADT elements,
  - ▶ exchanging these with a database and/or via CSV with fellow students' implementations.

# Querying

Querying

Overview



## General Ideas

- ▶ Recall
  - ▶ syntax = context-free grammar
  - ▶ semantics = translation to another language
- ▶ Example: BOL translated to SQL, SFOL, Scala, English
- ▶ Querying = use semantics to answer questions about syntax

### Note:

- ▶ Not the standard definition of querying
- ▶ Design of a new Tetrapod-level notion of querying  
ongoing research
- ▶ Subsumes concepts of different names from the various aspects

# Propositions

syntax with propositions =  
designated non-terminals for propositions

Examples:

aspect	basic propositions
ontology language	assertions, concept equality/subsumption
programming language	equality for some types
database language	equality for base types
logic	equality for all types
natural language	sentences

Aspects vary critically in how propositions can be formed

- ▶ any program in computation
- ▶ quantifiers in deductions undecidable
- ▶ *IN* in databases

## Propositions as Queries

Propositions allow defining queries

	Query	Result
deduction	proposition	yes/no
concretization	proposition with free variables	true ground instances
computation	term	value
narration	question	answer

# Semantics of Propositions

syntax with propositions =  
designated non-terminals for propositions

needed to ask queries

semantics with theorems =  
designates some propositions as theorems or contradictions

needed to answer queries

Note:

- ▶ A propositions may be neither theorem nor contradiction.
- ▶ We say that language has negation if:  
 $F$  theorem iff  $\neg F$  contradiction and vice versa.

We write  $\vdash F$  if  $F$  is theorem.

# Querying

## Deductive Queries

## Definition

We assume

- ▶ a semantics  $\llbracket - \rrbracket$  from  $I$  to  $L$
- ▶  $I$  has propositions
- ▶ there is an operation  $\text{True}$  that maps translations of  $I$ -propositions to  $L$ -propositions
- ▶  $L$  has semantics with propositions

We define

- ▶ a deductive query is an  $I$ -proposition  $p$
- ▶ the result is
  - ▶ yes if  $\text{True}\llbracket p \rrbracket$  is a theorem of  $L$
  - ▶ no if  $\text{True}\llbracket p \rrbracket$  is a contradiction in  $L$

## Breakout question

What can go wrong?

## Problem: Inconsistency

In general, (in)consistency of semantics

- ▶ Some propositions may be both a theorem and a contradiction.
- ▶ In that case, queries do not have a result.

In practice, however:

- ▶ If this holds for some propositions, it typically holds for all of them.
- ▶ In that, we call  $L$  inconsistent.
- ▶ We usually assume  $L$  to be consistent.



## Problem: Incompleteness

In general, (in)completeness of semantics

- ▶ We cannot in general assume that every proposition in  $L$  is either a theorem or a contradiction.
- ▶ In fact, most propositions are neither.
- ▶ So, queries do not necessarily have a result.
- ▶ We speak of incompleteness.

Note: not the same as the usual (in)completeness of logic

In practice, however:

- ▶ It may be that  $L$  is complete for all propositions in the image of  $\text{True}[\![-]]$ .
- ▶ This is the case if  $L$  is simple enough  
typical for ontology languages

## Problem: Undecidability

In general, (un)decidability of semantics:

- ▶ We cannot in general assume that it is decidable whether a proposition in  $L$  is a theorem or a contradiction.
- ▶ In fact, it usually isn't.
- ▶ So, we cannot necessarily compute the result of a query.
- ▶ However: If we have completeness, decidability is likely.

run provers for  $F$  and  $\neg F$  in parallel

In practice, however:

- ▶ It may be that  $L$  is decidable for all propositions in the image of  $\text{True}[\![-]]$ .
- ▶ This is the case if  $L$  is simple enough

typical for ontology languages

## Problem: Inefficiency

In general, (in)efficiency of semantics:

- ▶ Answering deductive queries is very slow.
- ▶ Even if we are complete and decidable.

In practice, however:

- ▶ Decision procedures for the image of  $\text{True}[\llbracket - \rrbracket]$  may be quite efficient.
- ▶ Dedicated implementations for specific fragments.
- ▶ This is the case if  $I$  is simple enough

typical for ontology languages

# Querying

## Contexts and Free Variables

## Concepts

Recall the analogy between grammars and typing:

grammars	typing
non-terminal	type
production	constructor
non-terminal on left of production	return type of constructor
non-terminals on right of production	arguments types of constructor
terminals on right of production	notation of constructor
words derived from non-terminal $N$	expressions of type $N$

We will now add contexts and substitutions.

## Contexts

Given a context-free language  $I$ , we define:

- ▶ A **context**  $\Gamma$  is of the form  $x_1 : N_1, \dots, x_n : N_n$  where the
  - ▶  $x_i$  are names
  - ▶  $N_i$  are non-terminals

We write this as  $\vdash_I \Gamma$ .

- ▶ A **substitution** for  $\Gamma$  is of the form  $x_1 := w_1, \dots, x_n := w_n$  where the
  - ▶  $x_i$  are as in  $\Gamma$
  - ▶  $w_i$  derived from the corresponding  $N_i$

We write this as  $\vdash_I \gamma : \Gamma$ .

- ▶ An **expression in context**  $\Gamma$  of type  $N$  is a word  $w$  derived from  $N$  using additionally the productions  $N_i ::= x_i$ .

We write this as  $\Gamma \vdash_I w : N$ .

- ▶ Given  $\Gamma \vdash w : N$  and  $\vdash \gamma : \Gamma$  as above, the **substitution of**  $\gamma$  in  $w$  is obtained by replacing every  $x_i$  in  $w$  with  $w_i$ . We write this as  $w[\gamma]$ .

## Contexts under Compositional Translation

Consider a compositional semantics  $\llbracket - \rrbracket$  from  $I$  to  $L$  between context-free languages.

- ▶ Every  $\vdash_I w : N$  is translated to some  $\vdash_L \llbracket w \rrbracket : N'$  for some  $N'$ .
- ▶ Compositionality ensures that  $N'$  is the same for all  $w$  derived from  $N$ .
- ▶ We write  $\llbracket N \rrbracket$  for that  $N'$ .
- ▶ Then we have

$$\vdash_I w : N \quad \text{implies} \quad \vdash_L \llbracket w \rrbracket : \llbracket N \rrbracket$$

Now we translate contexts, substitutions, and variables as well:

$$\llbracket x_1 : N_1, \dots, x_n : N_n \rrbracket := x_1 : \llbracket N_1 \rrbracket, \dots, x_n : \llbracket N_n \rrbracket$$

$$\llbracket x_1 := w_1, \dots, x_n := w_n \rrbracket := x_1 := \llbracket w_1 \rrbracket, \dots, x_n := \llbracket w_n \rrbracket$$

$$\llbracket x \rrbracket := x$$

Then we have

$$\Gamma \vdash_I w : N \quad \text{implies} \quad \llbracket \Gamma \rrbracket \vdash_L \llbracket w \rrbracket : \llbracket N \rrbracket$$

## Substitution under Compositional Translation

From previous slide:

$$\llbracket x_1 : N_1, \dots, x_n : N_n \rrbracket := x_1 : \llbracket N_1 \rrbracket, \dots, x_n : \llbracket N_n \rrbracket$$

$$\llbracket x_1 := w_1, \dots, x_n := w_n \rrbracket := x_1 := \llbracket w_1 \rrbracket, \dots, x_n := \llbracket w_n \rrbracket$$

$$\llbracket x \rrbracket := x$$

$$\Gamma \vdash_I w : N \quad \text{implies} \quad \llbracket \Gamma \rrbracket \vdash_L \llbracket w \rrbracket : \llbracket N \rrbracket$$

We can now restate the substitution theorem as follows:

$$\llbracket E[\gamma] \rrbracket = \llbracket E \rrbracket \llbracket \llbracket \gamma \rrbracket \rrbracket$$



# Querying

## Concretized Queries

## Definition

We assume

- ▶ as for deductive queries
- ▶ semantics must be compositional

We define

- ▶ a concretized query is an  $l$ -proposition  $p$  in context  $\Gamma$
- ▶ a **single** result is a
  - ▶ a substitution  $\vdash_l \gamma : \Gamma$
  - ▶ such that  $\vdash_L \text{True}[[p[\gamma]]]$
- ▶ the **result set** is the set of all results

## Example

1. BOL ontology:

*concept male, concept person, axiom male  $\sqsubseteq$  person,  
individual FlorianRabe, assertion FlorianRabe isa male*

2. Query  $x : \textit{individual} \vdash_{BOL} x \textit{ isa person}$
3. Translation to SFOL:  $x : \iota \vdash_{SFOL} \textit{person}(x)$
4. SFOL calculus yields theorem  $\vdash_{SFOL} \textit{person}(\textit{FlorianRabe})$
5. Query result  $\llbracket \gamma \rrbracket = x := \textit{FlorianRabe}$
6. Back-translating the result to BOL:  $\gamma = x := \textit{FlorianRabe}$   
back translation is deceptively simple:  
translates SFOL-constant to BOL-individual of same name

## Breakout question

What can go wrong?

## Problem: Open World

In general, semantics uses open world:

- ▶ open world: result contains **all known** results  
same query might yield more results later
- ▶ closed world: result set contains **all** results  
always relative to concrete database for  $L$

In practice, however,

- ▶ system explicitly assumes closed world    typical for databases
- ▶ users aware of open world and able to process results correctly

## Problem: Infinity of Results

In general, there may be infinitely many results:

- ▶ e.g., query for all  $x$  such that  $\vdash x$ ,

In practice, however,

- ▶ systems pull results from finite database e.g., SQL, SPARQL
- ▶ systems enumerate results, require user to explicitly ask for more e.g., Prolog

## Problem: Back-Translation of Results

In general,  $\llbracket - \rrbracket$  may be non-trivial to invert

- ▶ easy to obtain  $\llbracket p \rrbracket$  in context  $\llbracket \Gamma \rrbracket$       just apply semantics
- ▶ possible to find substitutions

$$\vdash_L \delta : \llbracket \Gamma \rrbracket \quad \text{where} \quad \llbracket \Gamma \rrbracket \vdash_L \text{True}[\llbracket p \rrbracket][\delta]$$

easiest case: just look them up in database

- ▶ but how to translate  $\delta$  to  $l$ -substitutions  $\gamma$  with

$$\vdash_l \gamma : \Gamma \quad \text{where} \quad \llbracket \Gamma \rrbracket \vdash_L \text{True}[\llbracket p[\gamma] \rrbracket]$$

substitution theorem: pick such that  $\llbracket \gamma \rrbracket = \delta$

the more  $\llbracket - \rrbracket$  does, the harder to invert

In practice, however:

- ▶ often only interested in concrete substitutions
- ▶ translation of concrete data usually identity

But: practice restricted to what works even if more is needed

# Querying

## Computational Queries



## Definition

We assume

- ▶ the same as for deductive queries
- ▶ semantics has equality/equivalence  $\doteq$

We define

- ▶ a computational query is an  $l$ -expression  $e$
- ▶ the result is an  $l$ -expression  $e'$  so that  $\vdash_L \llbracket e \rrbracket \doteq \llbracket e' \rrbracket$

intuition:  $e'$  is the result of evaluating  $e$

If semantics is compositional,  $e$  may contain free variables

evaluate to themselves

## Problem: Back-Translation of Results

In general,  $\llbracket - \rrbracket$  may be non-trivial to invert

- ▶ easy to obtain  $E := \llbracket e \rrbracket$
- ▶ possible to find  $E'$  with  $\vdash_L E' \doteq E$  by working in the semantics
- ▶ non-obvious how to obtain  $e'$  such that  $\llbracket e' \rrbracket = E'$

In practice, however:

- ▶ evaluation meant to simplify, i.e., only useful if  $E'$  very simple
- ▶ simple  $E'$  usually in the image of  $\llbracket - \rrbracket$
- ▶ typical case:  $E'$  is concrete data and  $e' = E'$     called a value

## Problem: Non-Termination

In general, computation of  $E'$  from  $E$  might not terminate

- ▶ while-loops
- ▶ recursion
- ▶  $(\lambda x.x x)(\lambda x.x x)$  with  $\beta$ -rule
- ▶ simplification rule  $x \cdot y \rightsquigarrow y \cdot x$

similar: distributivity, associativity

In practice, however:

- ▶ image of  $\llbracket - \rrbracket$  part of terminating fragment

But: if  $I$  is Turing-complete or undecidable, general termination not possible

## Problem: Lack of Confluence

In general, there may be multiple  $E'$  that are simpler than  $E$

- ▶ there may be multiple rules that apply to  $E$
- ▶ e.g.,  $f(g(x))$ 
  - ▶ call-by-value: first simplify  $g(x) \rightsquigarrow y$ , then  $f(y) \rightsquigarrow z$
  - ▶ call-by-name: first plug  $g(x)$  into definition of  $f$ , then simplify
- ▶ Normal vs. canonical form
  - ▶ normal:  $\vdash_L E \doteq E'$
  - ▶ canonical: normal and  $\vdash_L E_1 \doteq E_2$  iff  $E'_1 = E'_2$ 

equivalent expressions have identical evaluation  
allows deciding equality

In practice, however:

- ▶ image of  $\llbracket - \rrbracket$  part of confluent fragment
- ▶ typical: evaluation to a value is canonical form
 

works for BDL-types but not for, e.g., function types

# Querying Narrative Queries

## Definition

We assume

- ▶ semantics into natural language

We define

- ▶ a narrative query is an  $L$ -question about some  $I$ -expressions
- ▶ the result is the answer to the question



Querying

Syntactic Querying



# Search

- ▶ “search” not systematically separated from “querying”
  - ▶ often interchangeable
  - ▶ querying tends to imply formal languages for queries with well-specified semantics e.g., SQL
  - ▶ search tends to imply less targeted process e.g., Google
- we will not distinguish between the two

## Syntactic vs. Semantic Querying

### Semantic querying

- ▶ Query results specified by vocabulary  $V$  but (usually) not contained in it
- ▶ Query answered using semantics of language
- ▶ Challenge: apply semantics to find results
  - ▶ deductive query  $\vdash f : \text{prop}$  requires theorem prover
  - ▶ computation query  $\vdash e : E$  requires evaluator
  - ▶ concrete query  $\Gamma \vdash f : \text{prop}$  requires enumerating all substitutions, running theorem prover/evaluator on all of them

what we've looked at so far

### Syntactic querying

- ▶ Query is an expression  $e$
- ▶ Result is set of occurrences of  $e$  in  $V$
- ▶ Independent of semantics
- ▶ Much easier to realize

## Challenges for Syntactic Search

Easier to realize → scale until new challenges arise

- ▶ large vocabularies
  - ▶ narrative: all text documents in a domain  
e.g., all websites, all math papers
  - ▶ deductive: large repositories of formalization in proof assistants  
10<sup>5</sup> theorems
  - ▶ computational: package managers for all programming languages
  - ▶ concrete: all databases in a domain  
TBs routine
- ▶ incremental indexing: reindex only new/changed parts
- ▶ incremental search to handle large result sets  
pagination
- ▶ sophisticated techniques for
  - ▶ indexing: to allow for fast retrieval
  - ▶ similarity: to select likely results
  - ▶ quality: to rank selected results
- ▶ integration of some semantic parts

## Overview

- ▶ Deduction
  - ▶ semantic: theorem proving called search
  - ▶ syntactic: text search
- ▶ Concretization
  - ▶ semantic: complex query languages (nestable queries)  
SQL, SPARQL
  - ▶ syntactic: search by identifier (linked data)
- ▶ Computation
  - ▶ semantic: interpreters called execution
  - ▶ mixed: IDEs search for occurrences, dependencies
  - ▶ syntactic: search in IDE, package manager
- ▶ Narration:
  - ▶ semantic: very difficult
  - ▶ syntactic: bag of words search

## Abstract Definition: Document

### **Document =**

- ▶ file or similar resource that contains vocabularies
- ▶ often with comments, metadata
- ▶ different names per aspect
  - ▶ deduction: formalization, theory, article
  - ▶ computation: source files
  - ▶ concretization: database, ontology ABox
  - ▶ narrative: document, web site

### **Library =**

- ▶ collection of documents
- ▶ usually structured into folders, files or similar
- ▶ often grouped by user access e.g., git repository
- ▶ vocabularies interrelated within and across libraries

## Abstract Definition: Document Fragment

**Fragment** = subdivision of documents into nested semantic units

Examples

- ▶ deductive: theory, section, theorem, definition, proof step, etc.
- ▶ computational: class, function, command, etc.
- ▶ concrete: table, row, cell
- ▶ narrative: section, paragraph, etc.

Assign unique **fragment URI**, e.g., LIB/DOC?FRAG where

- ▶ LIB: base URI of library e.g., repository URL
- ▶ DOC: path to document within library e.g., folder structure, file name
- ▶ FRAG: id of fragment within document e.g., class name/method name

## Abstract Definition: Index(er)

**Indexer** consists of

- ▶ data structure  $O$  for indexable objects  
specific to aspect, index design  
e.g., words, syntax trees
- ▶ function that maps library to index  
the indexing

**Index entry** consists of

- ▶ object that occurred in the library
- ▶ URI of the containing fragment
- ▶ information on where in the fragment it was found

**Index** = set of index entries

## Abstract Definition: Query and Result

Given

- ▶ indexer  $I$  with data structure  $O$
- ▶ set of libraries
- ▶ union of their indexes computed once, queried often

**Query** = object  $\Gamma \vdash^I q : O$

**Result** consists of

- ▶ index entry with object  $o$
- ▶ substitution for  $\Gamma$  such that  $q$  matches  $o$   
definition of “match” index-specific, e.g.,  $q[\gamma] = o$

**Result set** = set of all results in the index



## Bag of Words Search

### Definition:

- ▶ Index data structure = sequences of words (n-grams) up to a certain length
- ▶ Query = bag of words bag = multiset
- ▶ Match: (most) words in query occur in same n-gram or n-grams near each other

### Example implementations

- ▶ internet search engines for websites
- ▶ Elasticsearch: open source engine for custom vocabularies

### Mostly used for narrative documents

- ▶ can treat concrete values as words e.g., numbers
- ▶ could treat other expressions as words works badly

## Symbolic Search

### Definition:

- ▶ Index data structure = syntax tree (of any grammar) of expressions  $o$  with free/bound variables
- ▶ Query = expression  $q$  with free (meta-)variables
- ▶ Match:  $q[\gamma] =_{\alpha} o$ , i.e., up to variable renaming

### Example implementation

- ▶ MathWebSearch  
    [see separate slides on MathWebSearch in the repository](#)

### Mostly used for formal documents

- ▶ deductive
- ▶ computational

# Knowledge Graph Search

## Definition:

- ▶ Index data structure = assertion forming node/edge in a knowledge graph
- ▶ Index = big knowledge graph  $G$
- ▶ Query = knowledge graph  $g$  with free variables
- ▶ Match:  $g[\gamma]$  is part of  $G$

## Example implementations

- ▶ SPARQL engines without consequence closure  
i.e., the most common case in practice
- ▶ graph databases

Mainly used for ABoxes of untyped ontologies

## Value Search

Definition:

- ▶ Index data structure = BDL values  $v$
- ▶ Query = BDL expression  $q$  with free variables
- ▶ Match:  $q[\gamma] = v$

Example implementations

- ▶ no systematic implementation yet
- ▶ special cases part of most database systems

Could be used for values occurring in any document

- ▶ all aspects
- ▶ may need to decode/encode before putting in index

## Cross-Aspect Occurrences

### Observation

- ▶ libraries are written in one primary aspect
- ▶ indexer focuses on one aspect and kind of object
- ▶ but documents may contain indexable objects of any index

## Cross-Aspect Occurrences: Examples


- ▶ Any library can contain
  - ▶ metadata on fragments
    - ▶ relation assertions induce knowledge graph structure between fragments
    - ▶ property assertions contain values narrative, symbolic objects, or values
  - ▶ cross-references to fragments of any other library
  - ▶ narrative comments
- ▶ Narrative text may contain symbolic expressions  
STEM documents
- ▶ Database table may have columns containing
  - ▶ text
  - ▶ encoded BDL values
  - ▶ symbolic expression (often as strings)
- ▶ Symbolic fragments may contain database references  
e.g., when using database for persistent memoization

## A New Indexing Design

recent paper [https://kwarc.info/people/frabe/Research/BKR\\_mdql\\_20.pdf](https://kwarc.info/people/frabe/Research/BKR_mdql_20.pdf)

with K. Bercic

with K. Bercic



## A New Indexing Design (2)

Tricky question: What is the query language that allows combining queries for each index?

Easy:

- ▶ query = conjunction of atomic queries
- ▶ each atom queries one index
- ▶ QuComp splits into atoms
- ▶ ResAgg take intersection of results

Better: allow variables to be shared across atoms

open research question



## A New Indexing Design: Example

Consider

- ▶ table of graphs with human-recognizable names and arc-transitivity property indexed into
  - ▶ value index for the graph [sparse6 codec](#)
  - ▶ Boolean computed property for the arc-transitivity in knowledge graph
  - ▶ text index for name
- ▶ papers from arXiv in narrative index indexed into
  - ▶ narrative index for text
  - ▶ MathWebSearch for formulas
  - ▶ knowledge graph for metadata

Query goal: find arc-transitive graphs mentioned by name in articles with h-index greater than 50

## Integrating Semantic Querying

### Word search

- ▶ find multi-meaning words for only one meaning  
“normal” in math
- ▶ special treatment of certain queries e.g., “weather” in Google

### Symbolic search

- ▶ match query  $e \doteq e'$  against occurrence  $e' \doteq e$
- ▶ similarly: associativity, commutativity, etc.
- ▶ slippery slope to deductive queries

### Value search

- ▶ match query 1.5 against interval  $1.4 \pm 0.2$
- ▶ match query  $5 \cdot x$  against 25
- ▶ slippery slope to computational queries

frontiers of research — in our group: for STEM documents

# Semantics

# Semantics

## Overview

## Motivation

Recall:

Syntax	Data
Semantics	Knowledge

Representing

- ▶ syntax = formal language
  - ▶ grammar context-free part
  - ▶ type system context-sensitive well-formedness
- ▶ data = words in the syntax
  - ▶ set of vocabularies
  - ▶ set of typed expressions for each vocabulary
- ▶ semantics = ???
- ▶ knowledge = emergent property of having well-formed words with semantics

So far: semantics by translation

## Relative Semantics

### Semantics by Translation

- ▶ Two syntaxes
  - ▶ object-language  $I$  e.g., BOL
  - ▶ meta-language  $L$  e.g., SFOL, Scala, SQL, English
- ▶ Semantics of  $L$  assumed fixed captures what we already know
- ▶ Semantics of  $I$  by translation into  $L$   
semantics of  $I$  relative to existing semantics of  $L$

Problem: just kicking the can?

## Discussion of Relative Semantics

### Advantages

- ▶ a few meta-languages yield semantics for many languages
- ▶ easy to develop new languages
- ▶ good connection between syntax and semantics via compositionality, substitution theorem

### Disadvantages

- ▶ does not solve the problem once and for all
- ▶ impractical without implementation of semantics of meta-language
- ▶ meta-languages typically much more expressive than needed for object-languages
- ▶ translations can be difficult, error-prone

Also needed: absolute semantics

## Absolute vs. Relative Semantics

Absolute = self-contained, no use of meta-language  $L$

### Get off the ground

- ▶ semantics for a few important meta-languages  
e.g., FOL, assembly language, set theory
- ▶ relative semantics for all other languages, e.g.,
  - ▶ model theory: logic  $\rightarrow$  set theory
  - ▶ compilation: Scala  $\rightarrow$  JVM  $\rightarrow$  assembly

### Redundant semantics

- ▶ common to give
  - ▶ relative and absolute semantics for same syntax
  - ▶ multiple relative semantics      translations to different aspects
  - ▶ sometimes even maybe multiple absolute ones
- ▶ Allows understanding syntax from multiple perspectives
- ▶ Allows cross-checking      show equivalence of two semantics



## No Perfect Model for Absolute Semantics

- ▶ Machine-actionable requires reduction to finite set of rules  
whatever a rule is
- ▶ Does not work for most domains
  - ▶ practical argument: any practically interesting system has too many rules  
cf. physics, e.g., three-body problem already chaotic
  - ▶ theoretical argument: no language can fully model itself  
cf. Gödel's incompleteness theorems
- ▶ Imperfect representation of intended semantics required  
focus on some aspect

Big question: what aspects to focus on?

## Querying as a Guide

### Idea

- ▶ Very difficult to choose aspects for absolute semantics
- ▶ Turn problem around
  - ▶ ask what the practical purpose of the semantics could be
  - ▶ then choose aspects that allow realizing that purpose

Meta-remark: That's why we did relative semantics and querying first in this course even though absolute semantics conceptually belongs at the beginning.

### Querying as the Purpose

- ▶ Before: identified different kinds of querying  
focussing on different aspects of knowledge
- ▶ Now: each induces a kind of absolute semantics

# Semantics

## Absolute Semantics

# Deductive Semantics

## Definition

- ▶ A system that determines which propositions are theorems  
called a calculus
- ▶ Languages called logics
- ▶ Implementations called theorem provers

## More precisely

- ▶ Judgment:  $\vdash F$  for “ $F$  is theorem”
- ▶ Set of rules for deriving judgments

## Examples

- ▶ Natural deduction for first-order logic
- ▶ Axiomatic set theory for (most of) mathematics

# Redundant Deductive Semantics

## Multiple deductive semantics

- ▶ Proof theory: absolute
- ▶ Model theory: relative via translation to set theory  $L$   
write  $\models F$  for  $\vdash_L \text{True}[[F]]$
- ▶ Logic translation: relative via translation into standard logics, e.g., SFOL

## Equivalence Theorems

- ▶ Soundness:  $\vdash F$  implies  $\models F$
- ▶ Completeness:  $\models F$  implies  $\vdash F$  accordingly for other translations

# Computational Semantics

## Definition

- ▶ A system that evaluates expressions to values
- ▶ Languages typically called programming languages
- ▶ Implementations called interpreters, evaluators

## More precisely

- ▶ Judgment:  $\vdash E \rightsquigarrow V$  for “ $E$  evaluates to  $V$ ”
- ▶ Set of rules for deriving  $E \rightsquigarrow E_1 \rightsquigarrow E_2 \rightsquigarrow \dots$
- ▶ Often more complex judgments using context containing heap, stack, IO channels, local variables

## Examples

- ▶ Any interpreted language Python, bash, ...
- ▶ Machine language interpretation rules built into microchips

# Redundant Computation Semantics

## Multiple computational semantics

- ▶ Specification: absolute as rules on paper
- ▶ Interpreter: absolute as implementation
- ▶ Compiler: relative via translation to assembly  $L$

write  $\models E \rightsquigarrow V$  for  $\vdash_L \llbracket E \rrbracket \rightsquigarrow \llbracket V \rrbracket$

- ▶ Cross-compilation: relative via translation into other languages

Church-Turing thesis: always possible

## Equivalence Theorems

- ▶ Correctness of compiler:  $\vdash E \rightsquigarrow V$  iff  $\models E \rightsquigarrow V$

accordingly for other translations

## Concrete Semantics

### Definition

- ▶ A system that finds known ground instances of propositions
- ▶ Languages often called query languages  
inspired our, more general use of the word
- ▶ Implementations focusing on caching finite sets of ground instances called triple stores, databases

### More precisely

- ▶ Judgment:  $\vdash F[\gamma]$  for “ $\gamma$  is known ground instance of  $F$ ”
- ▶ Set of rules/sets/tables for finding all  $\gamma$

### Examples

- ▶ SQL for Church-typed ontologies with ADTs
- ▶ SPARQL for Curry-typed ontologies
- ▶ Prolog for first-order logic



## Yes/No vs. Wh-Questions

Deductive/concrete semantics may be a bit of a misnomer

- ▶ Queries about  $\vdash F$  are yes/no questions
  - ▶ specialty of deductive semantics
  - ▶ but maybe only because everything else is ever harder to do deductively
- ▶ Queries about ground instances of  $\Gamma \vdash F$  are Wh questions
  - ▶ specialty of concrete databases
  - ▶ for the special case of retrieving finite results sets from a fixed concrete store
  - ▶ only situation where Wh questions are easy

But Yes/no and Wh questions exist in all aspects.

# Redundant Concrete Semantics

## Multiple concrete semantics

- ▶ Specification: absolute as rules on paper
- ▶ Database: absolute by custom database
- ▶ Database: relative via translation to assembly  $L$

## Equivalence Theorems

- ▶ typically: choose one, no redundancy, no equivalence theorems
- ▶ infinite results: easy on paper, hard in database
- ▶ open world: are all known ground instances in database?

# Narrative Semantics

## Definition

- ▶ Describes how to answer (some) questions
- ▶ Implementations tend to be AI-complete, hypothetical
- ▶ In practice, information retrieval = find related documents

## More precisely?

- ▶ Not much theory, wide open research problem
- ▶ Some natural language document with interspersed definitions, formulas
- ▶ Maybe judgment:  $\vdash Q?A$  for “A is answer to Q”

## Examples

- ▶ “W3C Recommendation OWL 2” and Google
- ▶ “ISO/IEC 14882: 1998 Programming Language C++” and Stroustrup’s book
- ▶ Mathematics textbooks and mathematicians

# Semantics

## An Abstract Definition

## Languages

### A formal system $I$ consists of

- ▶ a set of vocabularies  $\text{Voc}^I$
- ▶ for every  $V \in \text{Voc}^I$ , a set  $\text{Exp}^I(V)$  of expressions
- ▶ a typing relation  $\vdash_V^I e : E$  between  $e, E \in \text{Exp}^I(V)$

define:  $\text{Exp}_V^I(E) = \{e \in \text{Exp}_V^I \mid \vdash_V^I e : E\}$

convention: leave out superscript  $I$ , subscript  $V$  if clear

### A formal system with propositions

- ▶ additionally has a distinguished expression `prop`
- ▶ define  $F$  is proposition if  $\vdash_V F : \text{prop}$

### A formal system with equality

- ▶ additionally has a distinguished proposition  $e_1 \doteq_E e_2$  whenever  $\vdash e_i : E$

in the sequel: fix  $I$  as above

## Deductive Semantics

A deductive semantics for  $I$  consists of

- ▶ for every  $V$ , a subset  $\text{Thm}'_V \subseteq \text{Exp}'_V(\text{prop})$  of theorems  
write  $\vdash'_V F$  for  $F \in \text{Thm}'_V$

## Curry-Howard

Define deductive semantics as a special case of typing

- ▶ propositions as types
- ▶ proofs as expressions
- ▶ add typing rules such that  $\vdash P : F$  captures the statement “ $P$  is proof of  $F$ ”
- ▶ define:  $\vdash F$  iff there is  $P$  such that  $\vdash P : F$

## Computational Semantics

A computational semantics for  $\lambda$  consists of

- ▶ for every  $V$ , a function  $\text{Eval}'_V : \text{Exp}'_V \rightarrow \text{Exp}'_V$
- ▶ the image of  $\text{Eval}$  called the values

write  $\vdash'_V e \rightsquigarrow e'$  for  $e' = \text{Eval}'_V(e)$

If we also have typing, we say

- ▶ subject reduction: if  $\vdash e : E$ , then  $\vdash \text{Eval}(e) : E$

If we also have equality and deductive semantics, we say

- ▶ normal forms:
  - ▶  $\text{Eval}'_V$  idempotent, i.e.,  $\text{Eval}'_V(x) = x$  if  $x$  value
  - ▶  $\vdash'_V e \doteq_E \text{Eval}'_V(e)$
- ▶ canonical forms:  $\vdash'_V e_1 \doteq_E e_2$  iff  $\text{Eval}'_V(e_1) = \text{Eval}'_V(e_2)$



## Interdefinability

Given a computational semantics, define a deductive one:

- ▶ distinguished expression  $\vdash \text{true} : \text{prop}$ ,
- ▶  $\vdash F$  iff  $\text{Eval}(F) = \text{true}$   
implies decidability, so usually only possible for some  $F$

Given a deductive semantics, define computational one:

- ▶  $\text{Eval}(e)$  is some  $e'$  such that  $\vdash e \doteq e'$   
trivially normal, but usually not canonical

Both kinds of semantics add different value. We usually want both.

## Why Abstract?

### Our definitions are abstract

- ▶  $\text{Exp}$ ,  $\text{Thm}$ ,  $\text{Eval}$  just assumed as sets/functions
- ▶ No requirement how they are constructed
  - ▶ inductive structure of expressions optional
  - ▶ both absolute and relative semantics are special cases

### A more concrete definition might demand

- ▶  $\text{Exp}_V$  defined by grammar
- ▶ type system defined by
  - ▶ calculus for  $\vdash_V e : E$
  - ▶ alternatively: trivial type system where all non-terminals  $N$  are expressions too and  $\vdash E : N$  iff  $E$  derived from  $N$
- ▶  $\text{Thm}_V$  defined by calculus for  $\vdash_V F$
- ▶  $\text{Eval}_V$  defined by calculus for  $\vdash_V e \rightsquigarrow e'$

## Syntax with Contexts

If we want to talk about contexts, too, we need to expand all of the above.

### Syntax with contexts

- ▶ contexts: for every  $V$ , a set  $\text{Cont}'_V$  write  $\vdash_V \Gamma$
- ▶ substitutions: for  $\Gamma, \Delta \in \text{Cont}'_V$ , a set  $\text{Subs}_V(\Gamma, \Delta)$   
write  $\vdash_V \gamma : \Gamma \rightarrow \Delta$

### Expressions in context

- ▶ expressions: sets  $\text{Exp}_V(\Gamma)$
- ▶ substitution application: functions  $\text{Exp}(\gamma) : \text{Exp}(\Gamma) \rightarrow \text{Exp}(\Delta)$  for  
 $\gamma \in \text{Subs}(\Gamma, \Delta)$  write  $\text{Exp}(\gamma)(e)$  as  $e[\gamma]$

### Typing in context

- ▶ expressions: sets  $\text{Exp}_V(\Gamma, E)$ , written as  $\Gamma \vdash_V e : E$
- ▶ substitution preserves types: if  $\Gamma \vdash e : E$  and  $\vdash \gamma : \Gamma \rightarrow \Delta$ , then  
 $\Delta \vdash e[\gamma] : E[\gamma]$

## Contexts: General Definition

We can leave contexts abstract or spell out a concrete definition:

- ▶ contexts  $\Gamma$  are of the form

$$x_1 : E_1, \dots, x_n : E_n$$

where  $E_i \in \text{Exp}(x_1 : E_1, \dots, x_{i-1} : E_{i-1})$

- ▶ for  $\Gamma$  as above, substitutions  $\Gamma \rightarrow \Delta$  are of the form:

$$x_1 = e_1, \dots, x_n = e_n$$

where  $\Delta \vdash e_i : E_i[x_1 = e_1, \dots, x_{i-1} = e_{i-1}]$

This works uniformly for any formal system. But most formal systems are a bit more restrictive, e.g., by requiring that all  $E_i$  are types.

## Semantics with Contexts

### Deductive semantics

- ▶ define: theorem sets  $\text{Thm}_V(\Gamma)$       write  $F \in \text{Thm}_V(\Gamma)$  as  $\Gamma \vdash_V F$
- ▶ such that theorems are preserved by substitution:  
if  $\Gamma \vdash_V F$  and  $\vdash \gamma : \Gamma \rightarrow \Delta$ , then  $\Delta \vdash_V F[\gamma]$

### Computational semantics

- ▶ define: evaluation functions  $\text{Eval}_V(\Gamma) : \text{Exp}_V(\Gamma) \rightarrow \text{Exp}_V(\Gamma)$   
write  $e' = \text{Eval}_V(\Gamma)(e)$  as  $\Gamma \vdash_V e \rightsquigarrow e'$
- ▶ extend to substitutions:  
 $\text{Eval}_V(\Delta)(\dots, x = e, \dots) = \dots, x = \text{Eval}_V(\Delta)(e), \dots$
- ▶ require that evaluation is preserved by substitution  $\vdash \gamma : \Gamma \rightarrow \Delta$   
 $\text{Eval}_V(\Delta)(e[\gamma]) = \text{Eval}_V(\Delta)(e)[\text{Eval}_V(\Delta)(\gamma)]$   
substitution theorem for  $\text{Eval}$  as a translation from  $I$  to itself

## Concrete Semantics

### General definitions for substitutions

- ▶ write  $\cdot$  for empty context/substitution
- ▶ ground expression is expression in empty context  
also called closed; then opposite is open
- ▶ ground substitution:  $\vdash \gamma : \Gamma \rightarrow \emptyset$  no free variables after substitution
- ▶ if we have computational semantics:  
value substitution is ground substitution where all expressions are values
- ▶ if we have deductive semantics:  
true instance of  $\Gamma \vdash F : \text{prop}$  is  $\gamma$  such that  $\vdash F[\gamma]$

### A concrete semantics for $I$ consists of

- ▶ for every  $\Gamma \vdash_V^I F : \text{prop}$ , a set  $\text{Inst}_V^I(\Gamma, F)$  of ground substitutions  
write  $\Gamma \vdash_V \gamma : F$  for  $\gamma \in \text{Inst}_V(\Gamma, F)$

## Interdefinability

Given concrete semantics, define a deductive one

- ▶ for ground  $F$ ,  $\text{Inst}(\cdot, F)$  is either  $\{\cdot\}$  or  $\{\}$
- ▶  $\vdash F$  iff  $\text{Inst}(\cdot, F) = \{\cdot\}$   
but concrete semantics usually cannot find all substitutions for all  $F$

Given concrete semantics, define a computational one

- ▶  $\vdash e \rightsquigarrow e'$  iff  $(x = e') \in \text{Inst}(x : E, e \doteq_E x)$   
but concrete semantics usually cannot find that substitution for all  $e$

Given deductive semantics, define a concrete one

- ▶  $\text{Inst}(\Gamma, F) = \{\vdash \gamma : \Gamma \rightarrow \cdot \mid \vdash F[\gamma]\}$   
but deductive semantics usually does not allow computing that set

Given computational semantics, define a concrete one

- ▶  $\text{Inst}(\Gamma, F) = \{\text{Eval}(\cdot, \gamma) \mid \vdash \gamma : \Gamma \rightarrow \cdot, \vdash F[\gamma] \rightsquigarrow \text{true}\}$
- ▶ allows restricting results to value substitutions  
composition of previous inter-definitions, inherits both problems

## Translations

A translation  $T$  from formal system  $I$  to formal system  $L$  consists of

- ▶ function  $\text{Voc}^T : \text{Voc}^I \rightarrow \text{Voc}^L$
- ▶ family of functions  $\text{Exp}_V^T : \text{Exp}_V^I \rightarrow \text{Exp}_{\text{Voc}^T(V)}^L$

### Desirable properties

- ▶ Should satisfy type preservation:

$$\vdash_V^I e : E \quad \text{implies} \quad \vdash_{\text{Voc}^T(V)}^L \text{Exp}_V^T(e) : \text{Exp}_V^T(E)$$

intuition: what we have, is preserved

- ▶ Might satisfy conservativity:

$$\vdash_{\text{Voc}^T(V)}^L e' : \text{Exp}_V^T(E) \quad \text{implies} \quad \vdash_V^I e : E \text{ for some } e$$

intuition: nothing new is added



## Translation of Contexts

### Translations extend to contexts and substitutions

- ▶  $\text{Cont}^T(\dots, x : E, \dots) = \dots, x : \text{Exp}^T(E), \dots$
- ▶  $\text{Subs}^T(\dots, x = e, \dots) = \dots, x = \text{Exp}^T(e), \dots$
- ▶  $\text{Exp}^T(x) = x$  for all variables

### Desirable properties for arbitrary contexts

- ▶ Type preservation:

$$\Gamma \vdash_V^I e : E \quad \text{implies} \quad \text{Cont}_V^T(\Gamma) \vdash_{\text{Voc}^T(V)}^L \text{Exp}_V^T(e) : \text{Exp}_V^T(E)$$

- ▶ Conservativity:

$$\text{Cont}_V^T(\Gamma) \vdash_{\text{Voc}^T(V)}^L e' : \text{Exp}_V^T(E) \quad \text{implies} \quad \Gamma \vdash_V^I e : E \text{ for some } e$$

## Compositionality

Define: a translation is compositional iff we can show the substitution theorem for it

Given

$$\Gamma \vdash_V^I e : E \quad \vdash_V^I \gamma : \Gamma \rightarrow \Delta$$

we have that

$$\text{Cont}_V^T(\Delta) \vdash_{\text{Voc}^T(V)}^L \text{Exp}_V^T(e[\gamma]) \doteq_{\text{Exp}_V^T(E[\gamma])} \text{Exp}_V^T(e)[\text{Subs}_V^T(\gamma)]$$

Simplify: write  $T(-)$  for  $\text{Voc}^T(-)$ ,  $\text{Exp}_V^T(-)$ ,  $\text{Cont}_V^T(-)$ ,  $\text{Subs}_V^T(-)$

$$T(\Delta) \vdash_{T(V)}^L T(e[\gamma]) \doteq_{T(E[\gamma])} T(e)[T(\gamma)]$$

## Relative Semantics

Given

- ▶ formal systems  $I$  and  $L$
- ▶ semantics for  $L$
- ▶ translation  $T$  from  $I$  to  $L$

define semantics for  $I$

- ▶ deductive: define

$$\vdash_V^I F \quad \text{iff} \quad \vdash_{\text{Voc}^T(V)}^L \text{Exp}_V^T(F)$$

- ▶ computational: define

$$\vdash_V^I e \rightsquigarrow e' \quad \text{iff} \quad \vdash_{\text{Voc}^T(V)}^L \text{Exp}_V^T(e) \rightsquigarrow \text{Exp}_V^T(e')$$

both work accordingly with a context  $\Gamma$

- ▶ concrete: define

$$\Gamma \vdash_V^I \gamma : F \quad \text{iff} \quad \text{Cont}_V^T(\Gamma) \vdash_{\text{Voc}^T(V)}^L \text{Subs}_V^T(\gamma) : \text{Exp}_V^T(F)$$

## Equivalence of Semantics

Two semantics  $\vdash^1$  and  $\vdash^2$  for  $\mathcal{L}$  are equivalent if they are equal in the abstract sense.

- ▶ deductive:  $\vdash^1 F$  iff  $\vdash^2 F$
- ▶ computational:  $\vdash^1 e \rightsquigarrow e'$  iff  $\vdash^2 e \rightsquigarrow e'$
- ▶ concrete:  $\Gamma \vdash^1 \gamma : F$  iff  $\Gamma \vdash^2 \gamma : F$

Example for deductive semantics:

- ▶  $\vdash^1$  absolute semantics by calculus  
e.g., natural deduction for SFOL
- ▶  $\vdash^2$  relative semantics by translation e.g.,  $\mathcal{L}$  is set theory,  $\mathcal{T}$  is model theory of SFOL
- ▶ Assume proofs-as-expressions
- ▶ Then:
  - ▶ type preservation = soundness
  - ▶ conservativity = completeness

## Exercise 6: Relative Deductive Semantics for BOL

- ▶ Implement a translation from BOL to untyped FOL
  - you can drop properties, types, and values
  - so that only one type of individuals is needed
- ▶ Use TPTP syntax for FOL      see <http://www.tptp.org/>
- ▶ Translate an example ontology
  - pick any ontology with a non-trivial consequence closure
- ▶ Use a theorem prover for first-order logic to implement a relative deductive semantics for BOL
  - Vampire and E are standard choices
  - see also <http://www.tptp.org/cgi-bin/SystemOnTPTP>
- ▶ Test by example whether your semantics yields the correct consequence closure

## Example: Relative Computational Semantics for BOL

Scala, SQL semantics evaluates

- ▶ concept  $c$  to
  - ▶ SQL: table of individuals result of running query  $\llbracket c \rrbracket$
  - ▶ Scala: hashset of individuals result of running program  $\llbracket c \rrbracket$
- ▶ propositions to booleans accordingly

Technically, results not in image of  $\llbracket - \rrbracket$

Fix: add productions for all values

$F ::= true \mid false$     truth values  
 $C ::= \{I, \dots, I\}$     finite concepts

## Equivalence with respect to Semantics

So far: equivalence of **two semantics** wrt **all queries**

Related concept: equivalence of **two queries** wrt **one semantics**

- ▶  $F, G$  deductively equivalence:

$$\vdash F \quad \text{iff} \quad \vdash G$$

may be internalized by syntax as proposition  $F \leftrightarrow G$

- ▶  $F, G$  concretely equivalent:

$$\vdash F[\gamma] \quad \text{iff} \quad \vdash G[\gamma]$$

for all ground substitutions  $\gamma$       weaker than  $\Gamma \vdash F \leftrightarrow G$

- ▶ closed  $e, e'$  computationally equivalent:

$$\vdash e \rightsquigarrow v \quad \text{iff} \quad \vdash e' \rightsquigarrow v$$

may be internalized by syntax as proposition  $e \doteq e'$

## Equivalence with respect to Semantics (2)

Interesting variants of computational semantics

- ▶ open  $e, e'$  extensionally equivalent:

$$\vdash e[\gamma] \rightsquigarrow v \quad \text{iff} \quad \vdash e'[\gamma] \rightsquigarrow v$$

for all ground substitutions  $\gamma$

equal inputs produce equal outputs

weaker than  $\Gamma \vdash e \doteq e'$  — intensional equivalence

- ▶ machines  $M, M'$  observationally equivalent:  
 produce equal sequences of outputs for the same sequence of inputs  
 e.g., automata, objects in OO-programming  
 choice of semantics defines legal optimizations in compiler



# Semantics

## Absolute Semantics for BOL

## Judgments

Typing:

$$\Gamma \vdash_V^{BOL} e : E$$

Deduction:

$$\Gamma \vdash_V^{BOL} F$$

Propositions prop:

- ▶  $C \sqsubseteq D, C \equiv D$
- ▶ all three kinds of assertions

Notation:

- ▶ We drop the superscript  $BOL$  everywhere.
- ▶ We drop the subscript  $v$  unless we need to use  $V$ .
- ▶ We drop the context  $\Gamma$  unless we need to use/change  $\Gamma$ .

# Typing

Trivial intrinsic typing (Church)  $\vdash e :^{int} E$

- ▶  $E$  is a non-terminal
- ▶  $e$  an expression derived from  $E$

Refined by extrinsic typing (Curry)  $\vdash e :^{ext} E$

- ▶  $e$  is an individual, i.e.,  $\vdash e :^{int} I$
- ▶  $E$  is a concept, i.e.,  $\vdash E :^{int} C$   
where  $I$  and  $C$  are the non-terminals from the grammar
- ▶  $e$  has concept  $E$ , i.e.,  $\vdash e \text{ is-a } E$

## Propositions as Types

Say also  $\vdash p : f$  for proofs  $p$  of proposition  $f$   
in particular:  $x : f$  in contexts to make local assumptions

Notation:

$\Gamma, f$  instead of  $\Gamma, p : f$

sufficient if we only state the rules, not build proofs

## Lookup Rules

The main rules that need to access the vocabulary:

$$\frac{f \text{ in } V}{\vdash_V f}$$

for assertions or axioms  $f$

Assumptions in the context are looked up accordingly:

$$\frac{x : f \text{ in } \Gamma}{\Gamma \vdash f}$$

## Rules for Subsumption and Equality

Subsumption is an order with respect to equality:

$$\overline{\vdash c \sqsubseteq c}$$

$$\frac{\vdash c \sqsubseteq d \quad \vdash d \sqsubseteq e}{\vdash c \sqsubseteq e}$$

$$\frac{\vdash c \sqsubseteq d \quad \vdash d \sqsubseteq c}{\vdash c \equiv d}$$

Equal concepts can be substituted for each other:

$$\frac{\vdash c \equiv d \quad x : C \vdash f(x) : \text{prop} \quad \vdash f(c)}{f(d)}$$

This completely defines equality.

## Rules relating Instancehood and Subsumption

$$\frac{\vdash i \text{ is-} a c \quad \vdash c \sqsubseteq d}{\vdash i \text{ is-} a d}$$

Read:

- ▶ if
  - ▶  $i \text{ is-} a c$
  - ▶  $c \sqsubseteq d$
- ▶ then  $i \text{ is-} a d$

$$\frac{x : I, x \text{ is-} a c \vdash x \text{ is-} a d}{\vdash c \sqsubseteq d}$$

Read:

- ▶ if
  - ▶ assuming an individual  $x$  and  $x \text{ is-} a c$ , then  $x \text{ is-} a d$
- ▶ then  $c \sqsubseteq d$

## Induction

Consider from before

$$\frac{x : I, x \text{ is-} a c \vdash x \text{ is-} a d}{\vdash c \sqsubseteq d}$$

Question: Do we allow proving the hypothesis by checking for each individual  $x$ ? induction



## Induction

Consider from before

$$\frac{x : I, x \text{ is-} a c \vdash x \text{ is-} a d}{\vdash c \sqsubseteq d}$$

Question: Do we allow proving the hypothesis by checking for each individual  $x$ ? induction

- ▶ Open world: no

## Induction

Consider from before

$$\frac{x : I, x \text{ is-a } c \vdash x \text{ is-a } d}{\vdash c \sqsubseteq d}$$

Question: Do we allow proving the hypothesis by checking for each individual  $x$ ? induction

- ▶ Open world: no
- ▶ Closed world: yes

$$\frac{\Gamma[x = i] \vdash f[x = i] \text{ for every individual } i}{\Gamma, x : I \vdash f(x)}$$

effectively applicable if only finitely many individuals

## Rules for Union and Intersection of Concepts

Union as the least upper bound:

$$\frac{\overline{\vdash c \sqsubseteq c \sqcup d} \quad \overline{\vdash d \sqsubseteq c \sqcup d}}{\frac{\vdash c \sqsubseteq h \quad \vdash d \sqsubseteq h}{\vdash c \sqcup d \sqsubseteq h}}$$

Dually, intersection as the greatest lower bound:

$$\frac{\overline{\vdash c \sqcap d \sqsubseteq c} \quad \overline{\vdash c \sqcap d \sqsubseteq d}}{\frac{\vdash h \sqsubseteq c \quad \vdash h \sqsubseteq d}{\vdash h \sqsubseteq c \sqcap d}}$$

## Rules for Existential and Universal

Easy rules:

- ▶ Existential

$$\frac{\vdash irj \quad \vdash jis-ac}{\vdash iis-a\exists r.c}$$

- ▶ Universal

$$\frac{\vdash iis-a\forall r.c \quad \vdash irj}{\vdash jis-ac}$$

Other directions are trickier:

- ▶ Existential

$$\frac{\vdash iis-a\exists r.c \quad j:l, irj, jis-ac \vdash f}{\vdash f}$$

- ▶ Universal

$$\frac{j:l, irj \vdash jis-ac}{\vdash iis-a\forall r.c}$$

## Selected Rules for Relations

Inverse:

$$\frac{\vdash irj}{\vdash jr^{-1}i}$$

Composition:

$$\frac{\vdash irj \quad \vdash jsk}{\vdash i(r;s)k}$$

Transitive closure:

$$\frac{}{\vdash ir^*i} \quad \frac{\vdash irj \quad \vdash jr^*k}{\vdash ir^*k}$$

Identity at concept  $c$ :

$$\frac{\vdash iis-ac}{\vdash i\Delta_c i}$$

# Semantics

## Equivalence of BOL Semantics

## Overview

Now 5 semantics for BOL

- ▶ absolute deductive via calculus
- ▶ relative deductive via SFOL
- ▶ relative computational via Scala
- ▶ relative concrete via SQL
- ▶ relative narrative via English

Moreover, these are interdefinable.

e.g., Scala translation also induces deductive semantics

Can compare equivalence

- ▶ for every pair of semantics
- ▶ for every kind of equivalence (deductive, concrete, computational)

Question: Which of them hold?

## Questions

For example, consider:

- ▶ Are the absolute semantics and the Scala semantics deductively equivalent?
- ▶ Assuming BOL and SQL have the base types and values: Are the absolute semantics and the SQL semantics concretely equivalent?



## Deductive Semantics

Are these two BOL semantics deductively equivalent

- ▶ absolute deductive semantics
- ▶ relative deductive semantics via translation  $\llbracket - \rrbracket$  to SFOL

Soundness:  $\vdash_V^{BOL} f$  implies  $\vdash_{\llbracket V \rrbracket}^{SFOL} \llbracket f \rrbracket$

- ▶ induction on derivations of  $\vdash_V^{BOL} f$
- ▶ one case per rule                      induction rule from above not sound
- ▶ several pages of work but straightforward and relatively easy

## Deductive Semantics

Are these two BOL semantics deductively equivalent

- ▶ absolute deductive semantics
- ▶ relative deductive semantics via translation  $\llbracket - \rrbracket$  to SFOL

Completeness:  $\vdash_V^{BOL} f$  implied by  $\vdash_{\llbracket V \rrbracket}^{SFOL} \llbracket f \rrbracket$

works if we add missing rules

- ▶ induction on SFOL derivations does not work
  - ▶ SFOL more expressive than BOL
  - ▶  $\llbracket - \rrbracket$  not surjective
- ▶ instead show that  $\llbracket - \rrbracket$  preserves consistency of vocabularies
  - no universal recipe how to do that
- ▶ then a typical proof uses  $V$  extended with  $\neg f$ 
  - ▶ if  $V$  inconsistent,  $\vdash_V f$  for all  $f$ , done
  - ▶ if  $V$  consistent and  $V + \neg f$  inconsistent, then  $\vdash_V f$ , done
  - ▶ if  $V + \neg f$  consistent, so is  $\llbracket V + \neg f \rrbracket$ , which contradicts  $\vdash_{\llbracket V \rrbracket}^{SFOL} \llbracket f \rrbracket$

## Computational Semantics

Are these two BOL semantics deductively equivalent

- ▶ absolute deductive semantics
- ▶ relative deductive semantics via translation  $\llbracket - \rrbracket$  to Scala

Soundness:  $\vdash_V^{BOL} f$  implies  $\vdash_{\llbracket V \rrbracket}^{Scala} \llbracket f \rrbracket \rightsquigarrow true$

- ▶ Problem: Absolute semantics performs consequence closure, e.g.,
  - ▶ transitivity of  $\sqsubseteq$
  - ▶ relationship between  $\sqsubseteq$  and *is-a*
- ▶ Scala semantics does so only if we explicitly implemented it

we didn't  
same problem for SQL semantics

## Computational Semantics

Are these two BOL semantics deductively equivalent

- ▶ absolute deductive semantics
- ▶ relative deductive semantics via translation  $\llbracket - \rrbracket$  to Scala

Completeness:  $\vdash_V^{BOL} f$  implied by  $\vdash_{\llbracket V \rrbracket}^{Scala} \llbracket f \rrbracket \rightsquigarrow true$

- ▶ absolute semantics leaves closed world optional
- ▶ Scala uses closed worlds
  - e.g., used to compute  $c \sqsubseteq d$  by checking all individuals
- ▶ complete only if we add induction rule